For Research Use Only

NOD2 Recombinant antibody

Catalog Number:83281-3-RR



Basic Information

Catalog Number:GenBa83281-3-RRNM_00Size:GeneII100ul , Concentration: 1000 µg/ml by64127Nanodrop;UNIPRSource:Q9HC:RabbitFull NaIsotype:nucleorIgGdomaiImmunogen Catalog Number:CalculAG33771115 kD

GenBank Accession Number: NM_001293557 GeneID (NCBI): 64127 UNIPROT ID: Q9HC29 Full Name: nucleotide-binding oligomerization domain containing 2 Calculated MW: 115 kDa

CloneNo.: 230327E10 Recommended Dilutions: IF/ICC 1:50-1:500

Purification Method:

Protein A purification

Applications

Tested Applications: IF/ICC, FC (Intra), ELISA Species Specificity: human

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol Aliquoting is unnecessary for -20°C storage Positive Controls: IF/ICC : HeLa cells,

Storage

Storage:


Storage Buffer:


*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





larly stainedImmunofluorescent analysis of (4% PFA) fixedtibody (83281-3-HeLa cells using NOD2 antibody (83281-3-RR,@488-Clone: 230327E10) at dilution of 1:200 and+L) (SA00013-2)CoraLite@488-Conjugated AffiniPure Goat Anti-
Control RecAbp. Cells wereRabbit IgG(H+L) (SA00013-2).



Biolayer interferometry (BLI) kinetic assays of 83281-3-RR against Human NOD2 were performed. The affinity constant is 3.79 nM.

1x10^6 Jurkat cells were intracellularly stained with 0.25 ug Nod2 Recombinant Antibody (83281-3-RR, Clone:230327E10) and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2) (red), or 0.25 ug Rabbit IgG Isotype Control RecAb (98136-1-RR, Clone: 240953C9) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).