For Research Use Only

AHR Recombinant antibody

Catalog Number:83369-6-RR



Basic Information	Catalog Number: 83369-6-RR	GenBank Accession Number: BC070080	Purification Method: Protein A purfication
	Size: 100ul , Concentration: 1000 ug/ml by Nanodrop; Source: Rabbit	GenelD (NCBI): 196	CloneNo.: 240325G9
		UNIPROT ID: Recommended Dilutions: P35869 IHC 1:200-1:800 Full Name: IF/ICC 1:125-1:500	
			Isotype: aryl hydrocarbon receptor IgG Calculated MW:
	Immunogen Catalog Number: AG12193	848 aa, 96 kDa	
	Applications	Tested Applications:	Positive Controls:
IHC, IF/ICC, FC (Intra), ELISA		IHC : mo	use testis tissue,
Species Specificity: human		IF/ICC : HeLa cells, HepG2 cells	
Note-IHC: suggested antigen r TE buffer pH 9.0; (*) Alternativ retrieval may be performed w buffer pH 6.0		vely, antigen	
Background Information	The aryl hydrocarbon receptor (AhR) is a ligand-activated transcription factor that has been largely regarded as a mediator of xenobiotic metabolism (PMID:18483242). It plays a part role in physiologic activities, including attenuation of the acute phase response, cytokine signaling, T helper (TH) 17 immune cell differentiation, modulation of NF-kB activity, and regulation of hormonal signaling (PMID:20423157,18540824). It also mediates transcription factor sequestering away from a gene promoter or tethering of the AhR to a transcription factor on a promoter. AHR calculated molecular masses differ by <10%, compared with the apparent molecular masses predicted from SDS-PAGE for the two receptors (105 and 95 kDa, respectively). (PMID: 8246913)		
Storage	Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage		
*** 20ul sizes contain 0.1% BSA	1		


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 83369-6-RR (AHR antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using AHR antibody (83369-6-RR, Clone: 240325G9) at dilution of 1:250 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) (SA00013-1), CL594-Phalloidin (red).




Immunofluorescent analysis of (4% PFA) fixed HeLa cells using AHR antibody (83369-6-RR, Clone: 240325G9) at dilution of 1:250 and Coralite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) (SA00013-1), CL594-Phalloidin (red).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using AHR antibody (83369-6-RR, Clone: 240325G9) at dilution of 1:250 and Coralite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) (SA00013-1), CL594-Phalloidin (red).



1x10^6 HeLa cells were intracellularly stained with 0.25 ug AHR Recombinant antibody (83369-6-RR, Clone:240325G9) and APC-Conjugated Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Rabbit IgG Isotype Control RecAb (98136-1-RR, Clone: 240953C9) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



1x10⁶ MCF-7 cells were intracellularly stained with 0.25 ug AHR Recombinant antibody (83369-6-RR, Clone:240325G9) and APC-Conjugated Goat Anti-Rabbit 1gG(H+L)(red), or 0.25 ug Rabbit 1gG Isotype Control RecAb (98136-1-RR, Clone: 240953C9) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).