For Research Use Only

Adiponectin Recombinant antibody

Catalog Number:83525-2-RR





Basic Information	Catalog Number: 83525-2-RR	GenBank Accession Number: NM_144744.3	Purification Method: Protein A purification	
	Size: 100ul , Concentration: 750 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG	GeneID (NCBI): 246253	CloneNo.: 240392D6	
		UNIPROT ID: Q8K3R4	Recommended Dilutions: WB 1:2000-1:15000	
		Full Name:		
		adiponectin, C1Q and collagen domain containing Calculated MW: 26 kDa		
				Observed MW: 26-28 kDa
		Applications	Tested Applications:	Positive
WB, ELISA	WB : rat a		WB : rat adipose tissue, rat heart tissue, mouse adipose	
Species Specificity: mouse, rat	tissue			
	Adiponectin (AdipoQ), an adipocyte-derived hormone, is one of the most abundant adipokines in the blood circulation. Adiponectin modulates a number of metabolic processes, including improving INS sensitivity and anti- inflammatory activity. The role of AdipoQ in reproduction is not yet fully understood, but the expression of AdipoQ in reproductive tissues has been observed in various animals and humans, including chicken testis, bovine ovary, and human placenta. Adiponectin exerts its effects by activating a range of different signaling molecules via binding to two transmembrane AdipoQ receptors, AdipoR1 and AdipoR2. AdipoR1 is expressed primarily in the skeletal muscle, whereas AdipoR2 is predominantly expressed in the liver. AdipoQ May play a role in cell growth, angiogenesis and tissue remodeling by binding and sequestering various growth factors.			
Background Information	circulation. Adiponectin modulates a inflammatory activity. The role of Ad in reproductive tissues has been obse and human placenta. Adiponectin ex- binding to two transmembrane Adipor skeletal muscle, whereas Adipor2 is	number of metabolic processes, in lipoQ in reproduction is not yet ful erved in various animals and hum erts its effects by activating a rang oQ receptors, AdipoR1 and AdipoR predominantly expressed in the li	ncluding improving INS sensitivity and anti- ly understood, but the expression of AdipoQ ans, including chicken testis, bovine ovary, e of different signaling molecules via 2. AdipoR1 is expressed primarily in the ver. AdipoQ May play a role in cell growth,	
Background Information	circulation. Adiponectin modulates a inflammatory activity. The role of Ad in reproductive tissues has been obse and human placenta. Adiponectin ex- binding to two transmembrane Adipor skeletal muscle, whereas Adipor2 is	number of metabolic processes, in ipoQ in reproduction is not yet ful erved in various animals and hum- erts its effects by activating a rang Q receptors, AdipoR1 and AdipoR predominantly expressed in the li by binding and sequestering vario er shipment.	ncluding improving INS sensitivity and anti- ly understood, but the expression of AdipoQ ans, including chicken testis, bovine ovary, te of different signaling molecules via 2. AdipoR1 is expressed primarily in the ver. AdipoQ May play a role in cell growth,	

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





 $180 \text{ kDa} \rightarrow$ $140 \text{ kDa} \rightarrow$ $100 \text{ kDa} \rightarrow$ $75 \text{ kDa} \rightarrow$ $60 \text{ kDa} \rightarrow$ $45 \text{ kDa} \rightarrow$

 $35 \text{ kDa} \rightarrow$ $25 \text{ kDa} \rightarrow$ $15 \text{ kDa} \rightarrow$ $10 \text{ kDa} \rightarrow$

Biolayer interferometry (BLL) kinetic assays of 83525-2-RR against Rat Adiponectin were performed. The affinity constant is 0.149 nM.

200 Time(s) 100 nM 50 nM 25 nM 12.5 nM 6.25 nM

3.125 nM

400

300