For Research Use Only

LRRC47 Recombinant antibody

Catalog Number:83693-3-RR




Basic Information	Catalog Number: 83693-3-RR	GenBank Accession Number: BC031301		Purification Method: Protein A purfication		
	Size: 100ul , Concentration: 1000 ug/ml by	GenelD (NCBI): 57470		CloneNo.: 240741A6		
	Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG19736	UNIPROT ID: Recommended Dilutions: Q8N1G4 WB 1:2000-1:10000 Full Name: IF/ICC 1:500-1:2000 leucine rich repeat containing 47 Calculated MW: 583 aa, 63 kDa		WB 1:2000-1:10000		
					Observed MW: 63 kDa	
				Applications	Tested Applications:	P
		WB, IF/ICC, FC (Intra), ELISA Species Specificity: human				Daudi cells, U-87 MG cells, LO2 cells CC : LO2 cells,
Background Information	LRRC 47 enables RNA binding activity. It is predicted to be involved in phenylalanyl-tRNA aminoacylation.					
Storage	Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage					
*** 20ul sizes contain 0.1% BSA						


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed L02 cells using LRRC47 antibody (83693-3-RR, Clone: 240741A6) at dilution of 1:1000 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).



Various lysates were subjected to SDS PAGE followed by western blot with 83693-3-RR (LRRC47 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. 1x10^6 U2OS cells were intracellularly stained with 0.25 ug LRRC 47 Recombinant antibody (83693-3-RR, Clone:240741A6) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Biolayer interferometry (BLL) kinetic assays of 83693-3-RR against Human LRRC 47 were performed. The affinity constant is below 1 pM.