

For Research Use Only

# CXCL8/IL-8 Recombinant antibody, PBS Only

Catalog Number: 83903-4-PBS



## Basic Information

<b>Catalog Number:</b> 83903-4-PBS	<b>GenBank Accession Number:</b> BC013615	<b>Purification Method:</b> Protein A purification
<b>Size:</b> 100ug , Concentration: 1 mg/ml by Nanodrop;	<b>GeneID (NCBI):</b> 3576	<b>CloneNo.:</b> 240889C4
<b>Source:</b> Rabbit	<b>ENSEMBL Gene ID:</b> ENSG00000169429	
<b>Isotype:</b> IgG	<b>UNIPROT ID:</b> P10145	
	<b>Full Name:</b> interleukin 8	
	<b>Calculated MW:</b> 99 aa, 11 kDa	
	<b>Observed MW:</b> 11 kDa	

## Applications

**Tested Applications:**  
WB, IF/ICC, ELISA

**Species Specificity:**  
human

## Background Information

Interleukin 8 (IL-8), also known as CXCL8, is a CXC chemokine family member. This chemokine is secreted by a variety of cell types including monocyte/macrophages, T cells, neutrophils, fibroblasts, endothelial cells, and various tumor cell lines in response to inflammatory stimuli. IL-8 has two primary functions. It induces chemotaxis in target cells, primarily neutrophils but also other granulocytes, causing them to migrate toward the site of infection. IL-8 also induces phagocytosis once they have arrived. This gene is believed to play a role in the pathogenesis of bronchiolitis, a common respiratory tract disease caused by viral infection. IL-8 is also known to be a potent promoter of angiogenesis. IL-8 has been associated with tumor angiogenesis, metastasis, and poor prognosis in breast cancer. IL-8 may present a novel therapeutic target for estrogen driven breast carcinogenesis and tumor progression. The human IL-8 cDNA sequence predicts a protein of 99 amino acids. Removal of a 22-residue signal peptide generates a mature protein of 77 amino acids (~ 8 kDa).

## Storage


**Storage:**  
Store at -80°C.

**Storage Buffer:**  
PBS Only


For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)  
E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data



PMA, LPS and Brefeldin A treated THP-1 cells were subjected to SDS PAGE followed by western blot with 83903-4-RR (CXCL8,IL8 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 83903-4-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed PMA and Brefeldin A treated THP-1 cells using CXCL8/IL-8 antibody (83903-4-RR, Clone: 240889C4 ) at dilution of 1:1000 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). This data was developed using the same antibody clone with 83903-4-PBS in a different storage buffer formulation.



Biolayer interferometry (BLI) kinetic assays of 83903-4-RR against Human CXCL8/IL-8 were performed. The affinity constant is 0.165 nM.