For Research Use Only

SRP19 Recombinant antibody

Catalog Number:84061-3-RR





Basic Information	Catalog Number: 84061-3-RR	GenBank Accession Number: BC010947	Purification Method: Protein A purfication	
	Size: 100ul , Concentration: 1000 µg/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG8903	UNIPROT ID: P09132	CloneNo.: 241219E9 Recommended Dilutions: WB 1:5000-1:50000 IF/ICC 1:125-1:500	
				Full Name: IFFICE 1.125-1.500 signal recognition particle 19kDa Calculated MW:
		144 aa, 16 kDa Observed MW: 17 kDa		
		Applications	Tested Applications: WB, IF/ICC, ELISA Species Specificity: human, mouse	Positive
	WB : HeLa cells, A549 cells, K-562 cells, Raji cells, mouse kidney tissue, mouse ovary tissue, mouse liver tissue			
	IF/ICC :		HeLa cells,	
Background Information	The signal recognition particle (SRP) is one of the few functional small RNP particles. The SRP couples the synthesis of membrane and secretory proteins across or into the endoplasmic reticulum (ER) membrane in eukaryotes, as well as across the bacterial plasma membrane, and chloroplast thylakoid membranes. The mammalian SRP is composed of a 7S (or 7SL) RNA and six different proteins, SRP9, SRP14, SRP19, SRP54, SRP68 and SRP72. All of the components of SRP, including SRP RNA, participate directly in the overall protein targeting process. SRP19 binds directly to 7S RNA and mediates binding of the 54 kDa subunit of the SRP. SRP19 was shown to significantly enhance SRP54 attachment to helix 8 of 7SL RNA.			
Storage	Storage: Store at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50			
*** 20ul sizes contain 0.1% BSA	Aliquoting is unnecessary for -20 $^{\circ}$ C s	torage		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 84061-3-R (SRP19 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.

Immunofluorescent analysis of (4% PFA) fixed HeLa cells using SRP19 antibody (84061-3-RR, Clone: 241219E9) at dilution of 1:250 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).