## For Research Use Only

## CD79a Recombinant antibody

Catalog Number:84236-5-RR



**Basic Information** 

Catalog Number: GenBank Accession Number:

**Purification Method:** 84236-5-RR BC113733 Protein A purfication

GeneID (NCBI): CloneNo.: 100ul , Concentration: 1000  $\mu g/ml$  by 973 241299C9

Nanodrop: **UNIPROT ID:** Recommended Dilutions: Source: P11912 WB 1:5000-1:50000 Rabbit IF/ICC 1:200-1:800 Full Name:

Isotype: CD79a molecule, immunoglobulin-

associated alpha IgG

> Calculated MW: 226 aa, 25 kDa Observed MW: 40-45 kDa

**Applications** 

**Tested Applications:** Positive Controls:

WB, IF/ICC, ELISA WB: Daudi cells, Raji cells Species Specificity: IF/ICC: Ramos cells,

## **Background Information**

CD79a, also named as B-cell antigen receptor complex-associated protein alpha chain or MB-1 membrane glycoprotein, is a 226 amino acid protein, which contains one ITAM domain and one Ig-like C2-type (immunoglobulin-like) domain. CD79A is expressed in B cells and localizes in the cell membrane. CD79A is required in cooperation with CD79B for initiation of the signal transduction cascade activated by binding of antigen to the B-cell antigen receptor complex (BCR) which leads to internalization of the complex, trafficking to late endosomes and antigen presentation. CD79A is also required for BCR surface expression and for efficient differentiation of pro- and pre-B-cells.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 84236-5-RR (CD79a antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed Ramos cells using CD79A antibody (84236-5-RR, Clone: 241299C9) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).



Biolayer interferometry (BLL) kinetic assays of 84236-5-RR against Human CD79a were performed. The affinity constant is 3.77 nM.