For Research Use Only

RbAp46 Recombinant antibody, PBS Only

Catalog Number:84330-1-PBS



Purification Method:

Protein A purfication

CloneNo.:

241189D6

Basic Information

Catalog Number:

84330-1-PBS NM_002893

GeneID (NCBI): 100ug, Concentration: 1 mg/ml by

Nanodrop; **UNIPROT ID:** Source: Q16576 Rabbit Full Name:

Isotype: retinoblastoma binding protein 7

IgG Calculated MW:

48 kDa

GenBank Accession Number:

Applications

Tested Applications:

WB, IHC, IF/ICC, FC (Intra), Indirect ELISA

Species Specificity:

human


Background Information

RBBP7, also named as RBAP46, belongs to the WD repeat RBAP46/RBAP48/MSI1 family. RBBP7 is a core histonebinding subunit that may target chromatin remodeling factors, histone acetyltransferases and histone deacetylases to their histone substrates in a manner that is regulated by nucleosomal DNA. It is a component of several complexes which regulate chromatin metabolism. The antibody is specific to RBBP7.


Storage

Storage: Store at -80°C. Storage Buffer: PBS Only


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 84330-1-RR (RBBP7 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 84330-1-PBS in a different storage buffer formulation.




Immunofluorescent analysis of (4% PFA) fixed A431 cells using RBBP7 antibody (84330-1-RR, Clone: 241189D6) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red). This data was developed using the same antibody clone with 84330-1-PBS in a different storage buffer formulation.




1x10^6 HeLa cells were intracellularly stained with 0.25 ug RBBP7 Recombinant antibody (84330-1-RR, Clone:241189D6) and Multi-rAb CoraLite ® Plus 647-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR005)(red), or 0.25 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with 0.1% TritonX-100. This data was developed using the same antibody clone with 84330-1-PBS in a different storage buffer




Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 84330-1-RR (RBBP7 antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 84330-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 84330-1-RR (RBBP7 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 84330-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human rectal cancer tissue slide using 84330-1-RR (RBBP7 antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 84330-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human rectal cancer tissue slide using 84330-1-RR (RBBP7 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 84330-1-PBS in a different storage buffer formulation