
For Research Use Only CCL20 Recombinant antibody, PBS Only (Detector) Catalog Number:84413-5-PBS For Research Use Only (Detector) Catalog Number:84413-5-PBS


Basic Information	Catalog Number: 84413-5-PBS	GenBank Accession Number: NM_004591.3	Purification Method: Protein A purification
	Size: 100ug, Concentration: 1 mg/ml by Nanodrop; Source: Rabbit Isotype: IgG	GeneID (NCBI): 6364	CloneNo.: 241694D5
		UNIPROT ID: P78556-1	
		Full Name: chemokine (C-C motif) ligand 20	
		Calculated MW: 11kDa	
Applications	Tested Applications: Sandwich ELISA, Indirect ELISA, Sample test		
	Species Specificity: human		
Product Information	84413-5-PBS targets CCL20 as part c	of a matched antibody pair:	
	MP01301-4: 84413-1-PBS capture and 84413-5-PBS detection (validated in Sandwich ELISA)		
	Unconjugated rabbit recombinant monoclonal antibody in PBS only (BSA and azide free) storage buffer at a concentration of 1 mg/mL, ready for conjugation. Created using Proteintech's proprietary in-house recombinant technology. Recombinant production enables unrivalled batch-to-batch consistency, easy scale-up, and future security of supply.		
		ss cytometry, and multiplex imaging	applications including: ELISAs, multiplex g applications.Antibody use should be
Storage	Storage: Store at -80°C. Storage Buffer: PBS Only		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Sandwich ELISA standard curve of MP01301-4, Human CCL20/MIP-3 alpha Recombinant Matched Antibody Pair - PBS only. 84413-1-PBS was coated to a plate as the capture antibody and incubated with serial dilutions of standard Eg2398. 84413-5-PBS was HRP conjugated as the detection antibody. Range: 42.2-2700 pg/mL Human peripheral blood mononuclear cells (PBMC) were cultured unstimulated or stimulated with 10 µg/mL PHA for 5 days. The mean CCL20/MIP-3 alpha concentration was determined to be 14.8 pg/mL in unstimulated PBMC supernatant, 1,579.6 pg/mL in PHA stimulated PBMC supernatant.



Serum of six individual healthy human donors was measured. The human CCL20/MIP-3 alpha concentration of detected samples was determined to be 37.3 pg/mL with a range of 6.0 - 57.1 pg/mL