For Research Use Only

PSMA5 Recombinant antibody

Catalog Number:84424-1-RR





Basic Information	Catalog Number:	GenBank Accession Number:	Purification Method:				
	84424-1-RR	BC103751	Protein A purification				
	Size: 100ul , Concentration: 1000 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG34928	GenelD (NCBI):	CloneNo.: 241629A11				
		UNIPROT ID: P28066	Recommended Dilutions: WB 1:5000-1:50000				
			WB 1.5000-1.50000				
		Full Name: proteasome (prosome, macropain) subunit, alpha type, 5 Calculated MW: 241 aa, 26 kDa Observed MW: 26 kDa					
				Applications	Tested Applications: WB, ELISA	Positive	Controls:
						WB:1AR	cells, HeLa cells, HepG2 cells, HEK-293T cells,
					Species Specificity:	mouse thymus tissue, mouse liver tissue	
					human, mouse		
Background Information	Proteasome subunit alpha type-5(PSMA5) is a component of the 20S core proteasome complex involved in the proteolytic degradation of most intracellular proteins. This complex plays numerous essential roles within the cell by associating with different regulatory particles. It binds to two 19S regulatory particles(RP) to form the 26S proteasome, an ATP-dependent multisubunit protease that degrades polyubiquitinated proteins into small peptides. (PMID: 26661102)						
	proteasome, an ATP-dependent multi						
Storage	proteasome, an ATP-dependent multi	subunit protease that degrades p er shipment. % glycerol pH 7.3.					

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 84424-1-RR (PSMA5 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.

Biolayer interferometry (BLL) kinetic assays of 84424-1-RR against Human PSMA5 were performed. The affinity constant is 1.32 nM.