For Research Use Only

CD73 Recombinant antibody

Catalog Number:84434-6-RR



Basic Information

Catalog Number: GenBank Accession Number:

84434-6-RR NM_011851.4 Protein A purfication
Size: GeneID (NCBI): CloneNo.:

Size: GeneID (NCBI): CloneNo.:

100ul , Concentration: 1000 µg/ml by 23959 241541D12

Nanodrop: HNUDDOT ID: Description of the control of the

Nanodrop; UNIPROT ID:
Source: Q61503
Rabbit Full Name:

Isotype: 5' nucleotidase, ecto

IgG Calculated MW: 64kDa

Observed MW: 63 kDa

Applications

Tested Applications:

WB, ELISA

Species Specificity: mouse, rat

Positive Controls:

WB: mouse lung tissue, mouse brain tissue, rat brain

Purification Method:

Recommended Dilutions:

WB 1:5000-1:50000

tissue

Background Information

CD73, also known as ecto-5'-nucleotidase (5'-NT), is a 70-kDa, glycosyl-phosphatidylinositol-linked membrane-bound glycoprotein found in most tissues (PMID: 18404475; 20179192). CD73 is an ectoenzyme that catalyzes the dephosphorylation of AMP and other nucleoside monophosphates (PMID: 9553767). In the human immune system, CD73 is expressed on subsets of T and B cells, on germinal center follicular dendritic cells, and on thymic medullary reticular fibroblasts and epithelial cells (PMID: 2137649; 9553767). CD73 is highly expressed in many human solid tumors and is closely involved in cancer progression (PMID: 20179192).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 84434-6-RR (CD73 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.