For Research Use Only

## WASP Recombinant antibody, PBS Only (Detector)

Catalog Number:84714-2-PBS



**Purification Method:** 

CloneNo.:

242074E4

Protein A purification

**Basic Information** 

Catalog Number: GenBank Accession Number:

84714-2-PBS BC012738

GeneID (NCBI): 100ug, Concentration: 1 mg/ml by

Nanodrop: **UNIPROT ID:** P42768 Rabbit Full Name:

Isotype: Wiskott-Aldrich syndrome (eczema-

IgG thrombocytopenia) Immunogen Catalog Number: Calculated MW: 53 kDa

> Observed MW: 58 kDa

**Applications** 

**Tested Applications:** 

WB, Cytometric bead array, Indirect ELISA

Species Specificity:

AG1444

**Product Information** 

84714-2-PBS targets WASP as part of a matched antibody pair:

MP01520-1: 84714-1-PBS capture and 84714-2-PBS detection (validated in Cytometric bead array)

Unconjugated rabbit recombinant monoclonal antibody in PBS only (BSA and azide free) storage buffer at a concentration of 1 mg/mL, ready for conjugation. Created using Proteintech's proprietary in-house recombinant technology. Recombinant production enables unrivalled batch-to-batch consistency, easy scale-up, and future security of supply.

This conjugation ready format makes antibodies ideal for use in many applications including: ELISAs, multiplex assays requiring matched pairs, mass cytometry, and multiplex imaging applications. Antibody use should be optimized by the end user for each application and assay.


**Background Information** 

 $Wisk ott-Aldrich \, Syndrome \, protein \, (WASP) \, regulates \, actin \, cytoskeleton \, in \, hematopoietic \, cells \, and \, defects \, in \, WASP \, actin \, cytoskeleton \, in \, hematopoietic \, cells \, and \, defects \, in \, WASP \, actin \, cytoskeleton \, in \, hematopoietic \, cells \, and \, defects \, in \, WASP \, actin \, cytoskeleton \, in \, hematopoietic \, cells \, and \, defects \, in \, WASP \, actin \, cytoskeleton \, in \, hematopoietic \, cells \, and \, defects \, in \, wasp \, actin \, cytoskeleton \, in \, hematopoietic \, cells \, and \, defects \, in \, wasp \, actin \, cytoskeleton \, in \, hematopoietic \, cells \, and \, defects \, in \, wasp \, actin \, cytoskeleton \, in \, hematopoietic \, cells \, and \, defects \, in \, wasp \, actin \, cytoskeleton \, in \, hematopoietic \, cells \, actin \, cytoskeleton \, in \, hematopoietic \, cells \, actin \, cytoskeleton \, in \, hematopoietic \, cells \, actin \, cytoskeleton \, actin \, cytoskeleton \, c$ cause Wiskott-Aldrich Syndrome (WAS), an X-linked immunodeficiency and autoimmunity disorder of childhood.


Storage

Storage: Store at -80°C. Storage Buffer: PBS Only


## **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 84714-2-RR (WASP antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 84714-2-PBS in a different storage buffer formulation.



Cytometric bead array standard curve of MP01520-1, WASP Recombinant Matched Antibody Pair, PBS Only. Capture antibody: 84714-1-PBS. Detection antibody: 84714-2-PBS. Standard: Ag1444. Range: 0.625-80 ng/mL



Biolayer interferometry (BLI) kinetic assays of 84714-2-RR against Human WASP were performed. The affinity constant is 1.88 nM.