For Research Use Only

## cIAP2 Recombinant antibody, PBS Only

Catalog Number:84779-4-PBS




## Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** 84779-4-PBS BC027485 Protein A purfication GenelD (NCBI): CloneNo.: Size: 100ug , Concentration: 1 mg/ml by 330 242214E11 Nanodrop; UNIPROT ID: Source: Q13489 Rabbit Full Name: Isotype: baculoviral IAP repeat-containing 3 lgG Calculated MW: Immunogen Catalog Number: 604 aa, 68 kDa AG20500 **Observed MW:** 68 kDa **Applications Tested Applications:** WB, FC (Intra), IP, Indirect ELISA **Species Specificity:** human **Background Information** cIAP2 also known as BIRC3, is a member of the Inhibitor of Apoptosis Protein (IAP) family. cIAP2 is induced by inflammatory stimuli and plays a critical role in regulating adaptive and innate immune responses, cell death, and the production of inflammatory mediators. Its dysregulation is associated with various diseases, including cancer and neuroinflammatory conditions. Understanding the mechanisms by which cIAP2 functions and interacts with other cellular components is essential for developing targeted therapies. Storage Storage: Store at -80°C. Storage Buffer: PBS Only


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free<br/>in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 84779-4-RR (cIAP2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 84779-4-PBS in a different storage buffer formulation.




\*

IP result of anti-cIAP2 (IP:84779-4-RR, 4ug; Detection:84779-4-RR 1:1000) with Raji cells lysate 1600 ug. This data was developed using the same antibody clone with 84779-4-PBS in a different storage buffer formulation.



1x10^6 Raji cells were intracellularly stained with 0.25 ug clAP2 Recombinant antibody (84779-4-RR, Clone:242214E11) and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2)(red), or 0.25 ug Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011). This data was developed using the same antibody clone with 84779-4-PBS



Biolayer interferometry (BLI) kinetic assays of 84779-4-RR against Human cIAP2 were performed. The affinity constant is 46.8 pM.