For Research Use Only

HCN4 Recombinant antibody

Catalog Number:85222-4-RR




Basic Information	Catalog Number: 85222-4-RR	GenBank Accession Number: NM_005477	Purification Method: Protein A purification	
	Size: 100ul , Concentration: 1000 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG	GenelD (NCBI): 10021	CloneNo.: 242695D11	
		UNIPROT ID: Q9Y3Q4	Recommended Dilutions: WB 1:2000-1:10000	
		Full Name: hyperpolarization activated cyclic nucleotide-gated potassium channel 4 Calculated MW:		
		129 kDa		
		Observed MW: 130 kDa		
Applications	Tested Applications: WB, ELISA Species Specificity: human, mouse	Positive Controls:		
		WB : mouse b	rain tissue,	
Background Information	HCN4 belongs to the potassium channel HCN family. It hyperpolarization-activated ion channel with very slow activation and inactivation exhibiting weak selectivity for potassium over sodium ions. HCN4 may contribute to the native pacemaker currents in heart (If) and in neurons (Ih). It is activated by cAMP. HCN4 may mediate responses to sour stimuli. (PMID:10228147). Defects in HCN4 are a cause of sick sinus syndrome type 2 (SSS2). Defects in HCN4 are the cause of Brugada syndrome type 8 (BRS8).			
Storage	Storage: Store at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50			
*** 20ul sizes contain 0.1% BSA	Aliquoting is unnecessary for -20 $^{\circ}$ C s			

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Mouse brain tissue lysates were subjected to SDS PAGE followed by western blot with 85222-4-RR (HCN4 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.