

For Research Use Only

DAPP1 Recombinant antibody

Catalog Number: 85346-1-RR



Basic Information

Catalog Number: 85346-1-RR	GenBank Accession Number: BC012924	Purification Method: Protein A purification
Size: 100ul , Concentration: 1000 µg/ml by Nanodrop;	GeneID (NCBI): 27071	CloneNo.: 242582D1
Source: Rabbit	UNIPROT ID: Q9UN19	Recommended Dilutions: WB 1:500-1:2000
Isotype: IgG	Full Name: dual adaptor of phosphotyrosine and 3-phosphoinositides	
Immunogen Catalog Number: AG6459	Calculated MW: 32 kDa	
	Observed MW: 32 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls: WB : Daudi cells, Ramos cells
Species Specificity: human	

Background Information

DAPP1 was identified as dual adaptor for phosphotyrosine and 3-phosphoinositides, a novel 280 amino acid protein which contains a putative myristoylation site at its N-terminus followed by a SH2 and a PH domain at its C-terminus (PMID: 10432293). DAPP1 is also referred to B cell adaptor molecule of 32 kDa (Bam32), and is expressed by B lymphocytes, but not T lymphocytes or nonhematopoietic cells. DAPP1/Bam32 was shown to regulate BCR signaling downstream of phosphatidylinositol 3-kinase (PI3K) (PMID: 10770799). Furthermore, DAPP1/Bam32 may server to integrate PI3K and Src kinase signaling to promote Rac-dependent B cell adhesive interactions important for antigen presentation function (PMID: 20495066).

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol, pH7.3
Aliquoting is unnecessary for -20°C storage


*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data

Various lysates were subjected to SDS PAGE followed by western blot with 85346-1-RR (DAPP1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. Jurkat cells as negative control.



Biolayer interferometry (BLI) kinetic assays of 85346-1-RR against Human DAPP1 were performed. The affinity constant is 8.12 nM.