For Research Use Only

PDCD6/ALG2 Recombinant antibody

Catalog Number:85792-5-RR



Basic Information

Catalog Number: GenBank Accession Number:

85792-5-RR BC012384 GeneID (NCBI): Size: 100ul , Concentration: 1000 $\mu g/ml$ by 10016

Nanodrop: **UNIPROT ID:** 075340 Rabbit Full Name:

Isotype: programmed cell death 6

IgG Calculated MW: Immunogen Catalog Number: 191 aa, 22 kDa AG2949 Observed MW:

15-22 kDa

Applications

Tested Applications:

WB, ELISA Species Specificity: human, mouse, rat

Positive Controls:

WB: HepG2 cells, HeLa cells, HEK-293 cells, K-562 cells, SK-BR-3 cells, NIH/3T3 cells, HSC-T6 cells

Purification Method:

Protein A purification

Recommended Dilutions:

WB 1:5000-1:50000

CloneNo.:

250087B4

Background Information

Programmed cell death protein 6 (PDCD6) is also named as ALG2. PDCD6 is an evolutionarily conserved Ca2+binding protein. PDCD6 is required for coat protein complex II-dependent endoplasmic reticulum-to-Golgi apparatus vesicular transport in the cytoplasm (PMID: 39934130). PDCD6 is involved in regulating multifaceted and pleiotropic cellular processes in different cellular compartments. The nuclear PDCD6 regulates apoptosis and alternative splicing. And cytoplasmic PDCD6 is involved in the regulation of cytoskeletal dynamics and innate $immune\ responses.\ Additionally,\ membranous\ PDCD6\ participates\ in\ membrane\ repair\ through\ endosomal\ sorting$ complex required for transport complex-dependent membrane budding. (PMID: 38436472). PDCD6 also acts as a regulator of cytosolic DNA-induced immune responses by modulating STING transport (PMID: 34787301).

Storage

Store at -20°C. Stable for one year after shipment. Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3


Aliquoting is unnecessary for -20°C storage


*** 20ul sizes contain 0.1% BSA


in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

Selected Validation Data







HeLa cells were subjected to SDS PAGE followed by western blot with 85792-5-RR (PDC D6/ALG2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.