For Research Use Only

STC2 Recombinant antibody, PBS Only (Detector)

Catalog Number:85910-3-PBS



Basic Information

Catalog Number: 85910-3-PBS

GenBank Accession Number:

Size:

NM_003714.3 GeneID (NCBI):

CloneNo.: 250328A12

Purification Method:

Protein A purification

100ug, Concentration: 1 mg/ml by Nanodrop:

UNIPROT ID:

Rabbit

076061 Full Name:

Isotype: IgG

stanniocalcin 2

Immunogen Catalog Number:

Calculated MW:

EG3119

33 kDa

Applications

Tested Applications:

Sandwich ELISA, Indirect ELISA, Sample test

Species Specificity:

Product Information

85910-3-PBS targets STC2 as part of a matched antibody pair:

MP02212-1: 85910-1-PBS capture and 85910-3-PBS detection (validated in Sandwich ELISA)

Unconjugated rabbit recombinant monoclonal antibody in PBS only (BSA and azide free) storage buffer at a concentration of 1 mg/mL, ready for conjugation. Created using Proteintech's proprietary in-house recombinant technology. Recombinant production enables unrivalled batch-to-batch consistency, easy scale-up, and future security of supply.

This conjugation ready format makes antibodies ideal for use in many applications including: ELISAs, multiplex assays requiring matched pairs, mass cytometry, and multiplex imaging applications. Antibody use should be optimized by the end user for each application and assay.

Storage


Storage:

Store at -80°C. Storage Buffer:


PBS only, pH7.3

in USA), or 1(312) 455-8498 (outside USA)


Selected Validation Data



Sandwich ELISA standard curve of MP02212-1, Human Stanniocalcin 2 Recombinant Matched Antibody Pair - PBS only. 85910-1-PBS was coated to a plate as the capture antibody and incubated with serial dilutions of standard Eg3119. 85910-3-PBS was HRP conjugated as the detection antibody. Range: 78.1-5000 pg/mL



The mean Stanniocalcin 2 concentration was determined to be 113.80 ng/mL in T-47D cell extract based on a 2.3 mg/mL extract load.



Serum of eight individual healthy human donors was measured. The human Stanniocalcin 2 concentration of detected samples was determined to be 4.42 ng/mL with a range of 0.30 - 12.67 ng/mL