## For Research Use Only

## SP7 Recombinant antibody, PBS Only

Catalog Number:85934-1-PBS



**Purification Method:** 

CloneNo.:

250286C5

Protein A purification

**Basic Information** 

Catalog Number:

85934-1-PBS

Nanodrop:

Rabbit

Size:

GenBank Accession Number:

NM\_152860

GeneID (NCBI):

Full Name:

100ug, Concentration: 1 mg/ml by 121340

**UNIPROT ID:** Q8TDD2

Isotype: Sp7 transcription factor

IgG Calculated MW:

Immunogen Catalog Number: 45 kDa

AG29889 Observed MW:

45 kDa

**Applications** 

**Tested Applications:** 

WB, Indirect ELISA

Species Specificity: human, mouse, rat

**Background Information** 

Sp7 is identified in several tissues, including bone, tooth, brain, and the reproductive tract (PMID: 11792318, 33135214, 36881265). In bone, Sp7 is expressed at multiple stages throughout the mesenchymal bone lineage and plays different roles in different osteocytes (PMID: 36881265). SP7 regulates osteoblast differentiation and bone formation through osteoblast target genes by recognizing AT-rich region. In osteocytes, SP7 regulates osteocyte maturation and intracortical remodeling through osteocyte target genes by recognizing TGA(G/T) TCA motif. SP7 also regulates chondrocyte differentiation and endochondral ossification (36881265).

Storage


Store at -80°C.

Storage Buffer:


PBS only, pH7.3

in USA), or 1(312) 455-8498 (outside USA)

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 85934-1-RR (SP7 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 85934-1-PBS in a different storage buffer formulation.



Biolayer interferometry (BLL) kinetic assays of 85934-1-RR against Human SP7 were performed. The affinity constant is 1.10 nM.