

For Research Use Only

# Mouse Podoplanin Recombinant monoclonal antibody, PBS Only

Catalog Number: 86107-1-PBS



## Basic Information

<b>Catalog Number:</b> 86107-1-PBS	<b>GenBank Accession Number:</b> NM_010329.3	<b>Purification Method:</b> Protein A purification
<b>Size:</b> 100ug , Concentration: 1 mg/ml by Nanodrop;	<b>GeneID (NCBI):</b> 14726	<b>CloneNo.:</b> 250618C11
<b>Source:</b> Rabbit	<b>UNIPROT ID:</b> Q62011	
<b>Isotype:</b> IgG	<b>Full Name:</b> podoplanin	
<b>Immunogen Catalog Number:</b> EG2861	<b>Calculated MW:</b> 18 kDa	

## Applications

**Tested Applications:**  
IHC, Indirect ELISA

**Species Specificity:**  
mouse

## Background Information

Podoplanin was identified as a glycoprotein found in the cell membranes of glomerular epithelial cells (podocyte) (PMID: 9327748). It is a lymphatic marker because the expression of podoplanin has been detected in lymphatic but not blood vascular endothelium, and is useful as the marker of tumor-associated Lymphangiogenesis. Podoplanin has a function in developing testis, most likely at the level of cell-cell interactions among pre-meiotic germ cells and immature Sertoli cells. It may be involved in cell migration and/or actin cytoskeleton organization. When expressed in keratinocytes, Podoplanin induces changes in cell morphology with transfected cells showing an elongated shape, numerous membrane protrusions, major reorganization of the actin cytoskeleton, increased motility and decreased cell adhesion. It is required for normal lung cell proliferation and alveolus formation at birth. Podoplanin induces platelet aggregation. It does not have any effect on folic acid or amino acid transport and does not function as a water channel or as a regulator of aquaporin-type water channels.

## Storage


**Storage:**  
Store at -80°C.

**Storage Buffer:**  
PBS only, pH7.3


For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)      E: proteintech@ptglab.com  
W: ptglab.com

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**


## Selected Validation Data



Immunohistochemical analysis of paraffin-embedded mouse kidney tissue slide using 86107-1-RR (Pdpn antibody) at dilution of 1:30000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 86107-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded mouse kidney tissue slide using 86107-1-RR (Pdpn antibody) at dilution of 1:30000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 86107-1-PBS in a different storage buffer formulation.



Bi-layer interferometry (BLI) kinetic assays of 86107-1-RR against Mouse Podoplanin were performed. The affinity constant is 5.34 nM.