For Research Use Only

## Pan-Keratin (Type I) Recombinant monoclonal antibody, PBS Only

Catalog Number:86238-2-PBS



**Basic Information** 

Catalog Number:

86238-2-PBS

Size:

100ug , Concentration: 1 mg/ml by

Nanodrop; Source:

Rabbit Isotype:

IgG

GenBank Accession Number:

GeneID (NCBI):

Pan-Keratin (Type I)

UNIPROT ID: Q15323 Full Name:

Observed MW: 45-65 kDa

Purification Method: Protein A purification

CloneNo.: 251039C1

**Applications** 

Tested Applications:

WB, IHC, IF-P, Indirect ELISA

Species Specificity:

human, mouse, rat

**Background Information** 

Keratin is a family of fibrous structural proteins that are key components in hair, nails, feathers, hooves, and the outer layer of skin (epidermis). There are two main types of keratin: Type I (acidic) and Type II (basic/neutral), which form heterodimers to create intermediate filaments, providing mechanical strength to cells. Type I keratins (or Type I cytokeratins) are acidic, low molecular weight (40-64 kDa) proteins that form Type I intermediate filaments (IFs) in the cytoplasmic cytoskeleton of all mammalian epithelial cells. They are encoded on chromosome 17q and include keratins K9-K10, K12-K28, and K31-K40.


Storage

Storage:


Store at -80°C.
Storage Buffer

PBS only, pH7.3


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 86238-2-RR (Pan-Keratin (Type I) antibody) at dilution of 1:30000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 86238-2-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 86238-2-RR (Pan-Keratin (Type I) antibody) at dilution of 1:1000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 86238-2-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 86238-2-RR (Pan-Keratin (Type I) antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 86238-2-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded human cervical cancer tissue using Pan-Keratin (Type I) antibody (86238-2-RR, Clone: 251039C1) at dilution of 1:500 and Coralite®594-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-4), Pan-Keratin (TypeII) antibody 86370-1-RR labeled with FlexAble 2.0 Coralite® Plus 488 Kit (KFA501, green). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed

