

For Research Use Only

Phospho-ErbB3/HER3 (Tyr1197) Recombinant monoclonal antibody

Catalog Number: 87133-1-RR



Basic Information

Catalog Number: 87133-1-RR	GenBank Accession Number: NM_001982	Purification Method: Protein A purification
Size: 100ul , Concentration: 1000 µg/ml by Nanodrop;	GeneID (NCBI): 2065	CloneNo.: 252296B2
Source: Rabbit	UNIPROT ID: P21860	Recommended Dilutions: WB: 1:1000-1:4000
Isotype: IgG	Full Name: v-erb-b2 erythroblastic leukemia viral oncogene homolog 3 (avian)	
	Calculated MW: 148 kDa	
	Observed MW: 185 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls: WB : human Neuregulin-1 treated T-47D cells,
Species Specificity: human	

Background Information

V-erb-b2 erythroblastic leukemia viral oncogene homolog 3 (ErbB-3, HER3) is a member of the EGF receptor tyrosine kinase family including EGFR (HER1), Neu (ErbB-2, HER2), ErbB-3 (HER3), and ErbB-4 (HER4) that are frequently overexpressed in a variety of carcinomas. Phospho-ErbB3/HER3 (Tyr1197) is a phosphorylated form of the epidermal growth factor receptor 3 (EGFR3), also known as HER3. HER3 lacks tyrosine kinase activity itself, but becomes phosphorylated at tyrosine residues after forming heterodimers with other ErbB proteins such as HER2. The HER2/HER3 dimer is a potent activator of growth signaling pathways including MAPK. This phosphorylation event is involved in signal transduction pathways related to cell growth, proliferation, and survival. (PMID: 35625984)

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol, pH7.3
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Non-treated T-47D cells and human Neuregulin-1 treated T-47D cells were subjected to SDS PAGE followed by western blot with 87133-1-RR (Phospho-ErbB3/HER3 (Tyr1197) antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. The membrane was stripped and re-blotted with Vinculin (86930-1-RR) antibody as a loading control.