

For Research Use Only

RAB27A Recombinant monoclonal antibody

Catalog Number: 87178-5-RR



Basic Information

Catalog Number: 87178-5-RR	GenBank Accession Number: BC107680	Purification Method: Protein A purification
Size: 100ul , Concentration: 1000 µg/ml by Nanodrop;	GeneID (NCBI): 5873	CloneNo.: 252463G11
Source: Rabbit	UNIPROT ID: P51159	Recommended Dilutions: WB: 1:5000-1:50000
Isotype: IgG	Full Name: RAB27A, member RAS oncogene family	
Immunogen Catalog Number: AG12136	Calculated MW: 221 aa, 25 kDa	
	Observed MW: 25-27 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls: WB : HL-60 cells, Jurkat cells, K-562 cells, HeLa cells
Species Specificity: human	

Background Information

Rab27A is a member of a large family of Ras-related small GTPases. The protein is membrane-bound and may be involved in protein transport and small GTPase mediated signal transduction. Recent studies suggest that Rab27A is associated with melanosomes in pigmented cells and regulates melanosome transport via its interaction with actin-based cellular motors such as myosin Va and myosin VIIa. RAB27A is also required for regulated secretion in cytotoxic T lymphocytes. Rab27A is implicated in several diseases, including Griscelli syndrome, choroideremia, and the Hermansky-Pudlak syndrome mouse model, gunmetal.

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol, pH7.3
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 87178-5-RR (RAB27A antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.