For Research Use Only

Anti-Human CD200 Rabbit Recombinant Antibody, PBS Only



Purification Method:

CloneNo.:

230268E6

Protein A purification

Catalog Number: 98007-1-PBS

Basic Information

Catalog Number:

98007-1-PBS

100ug , 2000 $\mu g/ml$

Source: Rabbit Isotype: GenBank Accession Number:

BC022522 GeneID (NCBI):

UNIPROT ID: P41217

Full Name: CD200 molecule

Calculated MW: 269 aa, 30 kDa

Applications

Tested Applications:

Species Specificity:

Human

Background Information

CD200, also known as OX2, is a type I transmembrane glycoprotein that belongs to the immunoglobulin superfamily (PMID: 3032785). It contains two extracellular immunoglobulin domains, a transmembrane and a cytoplasmic domain. CD200 is expressed on a variety of cell types, including thymocytes, B lymphocytes, a subset $of T lymphocytes, follicular dendritic cells, neurons, and endothelial cells (PMID: 3032785; 10981966). CD200 \ binds \ and the liab cells (PMID: 3032785; 10981966).$ to its receptor, CD200R, which is primarily expressed by myeloid and T cell lineage (PMID: 15187158). The CD200-CD200R interaction plays a role in immunosuppression and suppression of anti-tumor immune responses (PMID: 22020332).

Storage

Storage:


Store at -80°C. Stable for one year after shipment.

Storage Buffer:

PBS only

in USA), or 1(312) 455-8498 (outside USA)

Selected Validation Data



1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human CD200 (98007-1-PBS, Clone:230268E6) or 0.25 ug Rabbit IgG control Rabbit PolyAb (30000-0-AP) and PE-conjugated Goat Anti-Rabbit IgG. Cells were then co-stained with APC Anti-Human CD19 (HIB19) (APC-65110, Clone: HIB19). Cells were not fixed. Lymphocytes were gated.