## For Research Use Only

## Anti-Human CEACAM1/3/6 (CD66a/c/d) proteinte Rabbit Recombinant Antibody Antibodies | ELISA kits | Proteins

Catalog Number:98061-1-RR


Basic Information	Catalog Number: 98061-1-RR	GenBank Accession Number: BC014473	Purification Method: Protein A purfication
	Size:	GenelD (NCBI):	CloneNo.: 240497E12
	100ug , 1000 µg/ml Source: Rabbit	634 UNIPROT ID: P13688	240497E12
	Isotype: IgG	Full Name: carcinoembryonic antigen-relatec cell adhesion molecule 1 (biliary glycoprotein)	1
		Calculated MW: 526 aa, 58 kDa	
Applications	Tested Applications: FC		
	Species Specificity: human		
Background Information	CEACAM1, also known as CD66a or BGP (biliary glycoprotein), is a member of the cacinoembryonic antigen (CEA) family which belongs to the immunoglobulin superfamily of cell adhesion molecules (PMID: 16919437). CEACAMs play major roles in cell-cell and cell-ECM adhesion and have been implicated in the control of cell proliferation, angiogenesis, and tissue remodeling (PMID: 23021083). CEACAM1 is a transmembrane glycoprotein that is expressed on epithelial, endothelial, and immune cells (PMID: 30314283). CEACAM1 has been demonstrated to play a role in morphogenesis, apoptosis, angiogenesis, cell proliferation, cell motility, fibrosis, and immunity (PMID: 31604530). This antibody is raised against 35-428 aa of human CEACAM1/CD66a and can cross-react with CEACAM6/CD66c and CEACAM3/CD66d.		
Storage	Storage: Store at 2 - 8°C. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide, pH 7.3.		

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

www.ptglab.com


## Selected Validation Data



1x10^6 human peripheral blood leukocytes were surface stained with 0.25 ug Anti-Human CEACAM1/3/6 (CD66a/c/d) Rabbit Recombinant Antibody (98061-1-RR, Clone:240497E12) or Isotype Control and PE-conjugated Goat Anti-Rabbit IgG. Cells were then stained with APC Anti-Human CD16. Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.



1x10^6 human peripheral blood leukocytes were surface stained with 0.25 ug Anti-Human CEACAM1/3/6 (CD66a/c/d) Rabbit Recombinant Antibody (98061-1-RR, Clone:240497E12) (red) or Isotype Control (blue) and PE-conjugated Goat Anti-Rabbit IgG. Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.



Biolayer interferometry (BLl) kinetic assays of 98061-1-RR against Human CEACAM1/CD66a were performed. The affinity constant is 4.34 nM.