For Research Use Only

Anti-Mouse CD40L/CD154 Rabbit Recombinant Antibody

www.ptglab.com

Catalog Number: 98120-1-RR

Basic Information

Catalog Number:

98120-1-RR

Size:

100ug , 1000 $\mu g/ml$

Source: Rabbit Isotype: GenBank Accession Number:

NM_011616.2

GeneID (NCBI):

21947

UNIPROT ID: P27548 Full Name:

CD40 ligand Calculated MW:

29 kDa

Purification Method: Protein A purfication

CloneNo.: 240743E6

Applications

Tested Applications:

Species Specificity:

mouse

Background Information

The CD40 ligand (CD40L, TRAP, CD154), a member of the TNF superfamily of ligands, is expressed as either a 33-kd transmembrane homologue or 18-kd soluble form (sCD154). CD40L is primarily expressed on activated CD4+ T cells and on a small proportion of CD8+ T cells and platelets. It binds to CD40 on antigen-presenting cells (APC), which leads to many effects depending on the target cell type. It has been suggested that CD40/CD40L interactions regulate oxidative stress and affect various signaling pathways in both the immunological and the cardiovascular systems. The CD40/CD40L system is also involved in tumorigenesis. Its expression is tightly regulated, and abnormal levels of CD40L are associated with the pathogenesis of atheromatous plaque destabilization and thrombotic events. Multiple mutations in CD40LG gene have been identified that are associated with hyper-IgM immunodeficiency syndrome type 1.

Storage

Storage:


Store at 2 - 8°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.09% sodium azide, pH 7.3.

in USA), or 1(312) 455-8498 (outside USA)

Selected Validation Data



1x10^6 untreated or PMA and ionomycin treated mouse CD3+T cells were surface stained with 0.25 ug Anti-Mouse CD40L/CD154 Rabbit Recombinant Antibody (98120-1-RR, Clone: 240743E6) and PEconjugated Goat Anti-Rabbit 1gG. Cells were costained with CoraLite® Plus 647 Anti-Mouse CD4. Cells were not fixed.



98120-1-RR(CD40 Ligand/TNFSF5),PE-A

1x10^6 PMA and ionomycin treated mouse CD3+T cells were surface stained with 0.25 ug Anti-Mouse CD40L/CD154 Rabbit Recombinant Antibody (98120-1-RR, Clone: 240743E6) (red) or Isotype Control (blue) and PE-conjugated Goat Anti-Rabbit IgG. 1x10^6 untreated mouse CD3+T cells were surface stained with 0.25 ug Anti-Mouse CD40L/CD154 Rabbit Recombinant Antibody (98120-1-RR, Clone: 240743E6) and PE-conjugated Goat Anti-Rabbit IgG (black,