

For Research Use Only

# Anti-Human DC-SIGNR/CD299 Rabbit Recombinant Antibody

Catalog Number: 98205-1-RR



## Basic Information

Catalog Number:

98205-1-RR

Size:

100ug , 1000 µg/ml

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

BC038851

GeneID (NCBI):

10332

UNIPROT ID:

Q9H2X3

Full Name:

C-type lectin domain family 4, member M

Calculated MW:

45 kDa

Purification Method:

Protein A purification

CloneNo.:

241683G8

## Applications

Tested Applications:

FC

Species Specificity:

human

## Background Information

Dendritic cell-specific intracellular adhesion molecule-3-grabbing non-integrin (DC-SIGN/CD209) and DC-SIGN related (DC-SIGNR/CD299/L-SIGN/CD209L/CLEC4M) are trans-membrane C-type lectins that are calcium-dependent carbohydrate-binding proteins, which can act as cell-adhesion and pathogen-recognition receptors (PMID: 18458800). DC-SIGN and DC-SIGNR share 77% amino acid identity (PMID: 10975799; 11226297). DC-SIGN is expressed on subsets of dendritic cells and macrophages while DC-SIGNR is restricted to endothelial cells of the liver, lymph nodes and placenta (PMID: 17509452). DC-SIGNR serves as a receptor for ICAM-3. It recognizes a wide range of evolutionarily divergent pathogens.

## Storage

Storage:

Store at 2 - 8°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide, pH 7.3.


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



1x10<sup>6</sup> HEK-293T cells or DC-SIGNR/CD299 transfected HEK-293T cells were surface stained with 0.25 ug Anti-Human DC-SIGNR/CD299 Rabbit Recombinant Antibody (98205-1-RR, Clone: 241683G8) and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were not fixed.

1x10<sup>6</sup> HEK-293T cells or DC-SIGNR/CD299 transfected HEK-293T cells were surface stained with 0.25 ug Anti-Human DC-SIGNR/CD299 Rabbit Recombinant Antibody (98205-1-RR, Clone: 241683G8) (red) or Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue) and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were not fixed.



Biolayer interferometry (BLI) kinetic assays of 98205-1-RR against Human DC-SIGNR/CD299 were performed. The affinity constant is 3.68 nM.