For Research Use Only

Anti-Human ICOS/CD278 Rabbit Recombinant Antibody, PBS Only

Catalog Number: 98214-1-PBS



Basic Information

Catalog Number:

98214-1-PBS

Size:

1mg, 2 mg/ml Source: Rabbit

Isotype: IgG GenBank Accession Number:

BC028210 GeneID (NCBI): 29851

UNIPROT ID: Q9Y6W8 Full Name:

inducible T-cell co-stimulator

Calculated MW: 199 aa, 23 kDa Purification Method: Protein A purfication

CloneNo.: 241770G11

Applications

Tested Applications:

FC

Species Specificity:

human


Background Information


Inducible T cell co-stimulator (ICOS) is related to the CD28 superfamily and is highly expressed on activated T cells as well as regulatory T cells and is crucial for the survival and function of T cells, Th2 cell differentiation, and lung inflammatory responses. Binding ICOS to ICOS-ligand (ICOS-L) activates a cascade of intracellular signaling molecules that prevent apoptosis and lead to the production of cytokines such as IL-4 and IL-13.

Storage


Storage: Store at -80°C. Storage Buffer: PBS Only

Selected Validation Data





1x10^6 untreated or PHA treated human PBMCs were surface stained with 0.25 ug Anti-Human ICOS/CD278 Rabbit Recombinant Antibody (98214-1-RR, Clone: 241770G11) and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were co-stained with APC Anti-Human CD3 (OKT3) Mouse IgG2a Recombinant Antibody (APC-65569, Clone: OKT3). Cells were not fixed. This data was developed using the same antibody clone with 98214-1-PBS in a different storage buffer formulation.



1x10^6 PHA treated human PBMCs were surface stained with 0.25 ug Anti-Human ICOS/CD278 Rabbit Recombinant Antibody (98214-1-RR, Clone: 241770G11) (red) or Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). 1x10^6 untreated human PBMCs were surface stained with 0.25 ug Anti-Human ICOS/CD278 Rabbit Recombinant Antibody (98214-1-RR, Clone: 241770G11) (black,