For Research Use Only

Anti-Human CD30 Ligand/TNFSF8 Rabbit Recombinant Antibody, PBS Only

Catalog Number:98253-1-PBS




Basic Information	Catalog Number: 98253-1-PBS	GenBank Accession Number: BC093630	Purification Method: Protein A purfication
	Size:	GeneID (NCBI):	CloneNo.:
	1mg , 2 mg/ml	944	241831D9
	Source: Rabbit	UNIPROT ID: P32971	
	lsotype: IgG	Full Name: tumor necrosis factor (ligand) superfamily, member 8	
		Calculated MW: 234 aa, 26 kDa	
Applications	Tested Applications: FC		
	Species Specificity: human		
Background Information	CD30 Ligand (CD30L), also named as TNFSF8 or CD153, is a type II transmembrane protein that belongs to the tumor necrosis factor (TNF) superfamily (PMID: 8391931). It is expressed on the surface of activated T cells, B cells, monocytes, macrophages, eosinophils, neutrophils, and mast cells (PMID: 26090498). CD30L interacts with its receptor, CD30, which is a cell surface protein expressed on a small subset of activated T and B lymphocytes, and a variety of lymphoid neoplasms, with the highest expression in classical Hodgkin lymphoma and anaplastic large cell lymphomas (PMID: 28885612). The CD30/CD30L signaling is involved in pleiotropic downstream effects including differentiation, cell survival and death, NFkB activation, and production of cytokines (PMID: 38534788).		
Storage	Storage: Store at -80°C. Storage Buffer: PBS Only		


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



1x10^{^6} untreated or PMA and ionomycin treated human PBMCs were surface stained with 0.25 ug Anti-Human CD30 Ligand/TNF5F8 Rabbit Recombinant Antibody (98253-1-R, Clone: 241831D9) and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were co-stained with APC Anti-Human CD3 (OKT3) Mouse IgC2a Recombinant Antibody (APC-65569, Clone: OKT3). Cells were not fixed. This data was developed using the same antibody clone with 98253-1-



1x10^6 PMA and ionomycin treated human PBMCs were surface stained with 0.25 ug Anti-Human CD30 Ligand/TNFSF8 Rabbit Recombinant Antibody (98253-1-RR, Clone: 241831D9) (red) or 0.25 ug Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). 1x10^6 untreated human PBMCs were surface stained with 0.25 ug Anti-Human CD30 Ligand/TNFSF8 Rabbit Recombinant



Biolayer interferometry (BLL) kinetic assays of 98253-1-RR against Human CD30 Ligand/TNFSF8 were performed. The affinity constant is below 1 pM.