For Research Use Only

Anti-Mouse IL-4RA/CD124 Rabbit Recombinant Antibody

Catalog Number:98276-1-RR





Basic Information	Catalog Number: 98276-1-RR	GenBank Accession Number: NM_001008700.3	Purification Method: Protein A purfication
	Size: 100ug , 1000 µg/ml	Genel D (NCBI): 16190	CloneNo.: 242262F10
	Source: Rabbit	UNIPROT ID: P16382-1	
	lsotype: IgG	Full Name: interleukin 4 receptor, alpha	
		Calculated MW: 88 kDa	
Applications	Tested Applications: FC		
	Species Specificity: mouse		
Background Information	IL-4 receptor alpha chain (IL-4RA), also known as CD124, is a transmembrane glycoprotein expressed on a wide variety of hematopoietic and non-hematopoietic cells. It is a receptor for both IL-4 and IL-13. IL-4RA can complex with the common gamma chain (IL-2R gamma or CD132) and utilizes JAK1 and JAK2 for signal transduction, while complexes of IL-4RA with IL-13RA1 subunit mediate signals via JAK2 and Tyk2. The IL-4 response is involved in promoting Th2 differentiation. The IL-4/IL-13 responses are involved in regulating IgE production and, chemokine and mucus production at sites of allergic inflammation.		
Storage	Storage: Store at 2 - 8°C. Stable for one year Storage Buffer: PBS with 0.09% sodium azide, pH 7		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1x10^6 C57BL/6 mouse splenocytes were surface stained with 0.25 ug Anti-Mouse IL-4RA/CD124 Rabbit Recombinant Antibody (98276-1-RR, Clone: 242262F10) or Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were then stained with Coralite® Plus 647 Anti-Mouse CD45R. Cells were not fixed.

1x10^6 C57BL/6 mouse splenocytes were surface stained with 0.25 ug Anti-Mouse IL-4RA/CD124 Rabbit Recombinant Antibody (98276-1-RR, Clone: 242262F 10) (red) or Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue) and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were not fixed.