For Research Use Only

Anti-Human CD16a Rabbit Recombinant Antibody, PBS Only

Catalog Number:98293-1-PBS



Basic Information

Catalog Number:

GeneID (NCBI):

Purification Method: Protein A purfication

98293-1-PBS

2214

Size:

ENSEMBL Gene ID:

CloneNo.: 242426G11

1mg, 2 mg/ml Source:

ENSG00000203747

Rabbit

Full Name:

Isotype:

Fc fragment of IgG, low affinity IIIa,

GenBank Accession Number:

receptor (CD16a)

Applications

Tested Applications:

Species Specificity:

human


Background Information

CD16 is a 50-70-kDa low affinity Fc receptor found on the surface of natural killer cells, neutrophil polymorphonuclear leukocytes, monocytes and macrophages. CD16 mediates antibody-dependent cellular cytotoxicity (ADCC) and other antibody-dependent responses, such as phagocytosis. CD16 has been identified as Fc receptors Fcy RIIIa (CD16a) and Fcy RIIIb (CD16b), encoded by two nearly identical genes, FCGR3A and FCGR3B.


Storage

Storage: Store at -80°C. Storage Buffer: PBS Only


Selected Validation Data



1x10^6 human peripheral blood leukocytes were surface stained with 0.25 ug Anti-Human CD16a Rabbit RecAb (98293-1-RR, Clone:242426G11), or 0.25 ug Rabbit IgG Isotype Control RecAb (98136-1-RR, Clone: 240953C9) and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed. This data was developed using the same antibody clone with 98293-1-PBS in a different storage buffer formulation.



1x10^6 human peripheral blood leukocytes were surface stained with 0.25 ug Anti-Human CD16a Rabbit RecAb (98293-1-RR, Clone:242426G11) (red), or 0.25 ug Rabbit IgG Isotype Control RecAb (98136-1-RR, Clone: 240953C9) (blue) and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed. This data was developed using the same antibody clone with 98293-1-PBS in a different storage



Biolayer interferometry (BLL) kinetic assays of 98293-1-RR against Human CD16a were performed. The affinity constant is 14.3 nM.