For Research Use Only

Anti-Human Prion protein PrP/CD230 Rabbit Recombinant Antibody

Catalog Number:98414-4-RR





Basic Information	Catalog Number: 98414-4-RR	GenBank Accession Number: BC012844	Purification Method: Protein A purification
	Size: 100ug , 1000 µg/ml	GenelD (NCBI): 5621	CloneNo.: 243104D11
	Source: Rabbit	UNIPROT ID: P04156	Recommended Dilutions: FC: 0.25 ug per 10^6 cells in a 100 µl suspension
	lsotype: IgG	Full Name: prion protein	
	Immunogen Catalog Number: EG3359		
Applications	Tested Applications: FC	Positive Controls:	
	Species Specificity: human	FC : human PBMCs,	
Background Information	The major prion protein (PrP), also known as CD230, is encoded by the prion protein-encoding gene (PRNP). PrP is widely expressed in a variety of tissues and is abundant in the nervous system and participates in neuronal growth and survival. PrP expression is strongly associated with immune infiltrating cells, immunosuppressive cell infiltration and immune checkpoint molecules. PrP is an immune-related prognostic marker that holds promise for predicting outcomes related to colorectal cancer immunotherapy.		
Storage	Storage: Store at 2 - 8°C. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide, pH7.3		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human Prion protein PrP/CD230 Rabbit RecAb (98414-4-RR, Clone: 243104D11) or Rabbit IgG Isotype Control RecAb (98136-1-RR, Clone: 240953C9), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were then stained with CoraLite® Plus 647 Anti-Human CD14. Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.

1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human Prion protein PrP/CD230 Rabbit RecAb (98414-4-RR, Clone: 243104D11) (red) or Rabbit IgG Isotype Control RecAb (98136-1-RR, Clone: 240953C9) (blue), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.