

For Research Use Only

Anti-Human CD8a Rabbit Recombinant Antibody, PBS Only

Catalog Number: 98470-1-PBS



Basic Information

| | | |
|--------------------------------------------|----------------------------------------------------|-------------------------------------------------------|
| Catalog Number: 98470-1-PBS | GenBank Accession Number: NM_001145873.1 | Purification Method: Protein A purification |
| Size: 1mg, 3 mg/ml | GeneID (NCBI): 925 | CloneNo.: 243018G2 |
| Source: Rabbit | ENSEMBL Gene ID: ENSG00000153563 | |
| Isotype: IgG | UNIPROT ID: P01732-1 | |
| Immunogen Catalog Number: EG0819 | Full Name: CD8a molecule | |
| | Calculated MW: 26 kDa | |

Applications

Tested Applications:
FC

Species Specificity:
human

Background Information

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8a or as a heterodimer of CD8a and CD8β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8aβ heterodimer while CD8aa homodimers alone have been found on some gut intraepithelial T cells, on some T cell receptor (TCR) γδ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T-cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+ T cells (PMID: 1968084).

Storage


Storage:
Store at -80°C.

Storage Buffer:
PBS only, pH7.3


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10⁶ human PBMCs were surface stained with 0.125 ug Anti-Human CD8a Rabbit RecAb (98470-1-RR, Clone: 243018G2) or 0.125 ug Rabbit IgG Isotype Control RecAb (98136-1-RR, Clone: 240953C9), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were then stained with APC Anti-Human CD3 (OKT3) Mouse IgG2a Recombinant Antibody (APC-65569, Clone: OKT3). Cells were not fixed. This data was developed using the same antibody clone with 98470-1-PBS in a



1x10⁶ human PBMCs were surface stained with 0.125 ug Anti-Human CD8a Rabbit RecAb (98470-1-RR, Clone: 243018G2) (red) or 0.125 ug Rabbit IgG Isotype Control RecAb (98136-1-RR, Clone: 240953C9) (blue), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were not fixed. This data was developed using the same antibody clone with 98470-1-PBS in a different storage buffer formulation.