
## For Research Use Only

## Atlantic Blue™ Anti-Mouse PD-1/CD279 (RMP1-30)






Basic Information	Catalog Number: AB-65142	GenBank Accession Number: BC119179	Purification Method: Protein A purification
	Size: 100ug , 0.5 mg/ml	GeneID (NCBI): 18566	CloneNo.: RMP1-30
	Source: Rat Isotype: IgG2b, kappa	UNIPROT ID: Q02242 Full Name: programmed cell death 1	Excitation/Emission maxima wavelengths: 404 nm / 458 nm
Applications	Tested Applications: FC Species Specificity: Mouse		
Background Information	Programmed cell death 1 (PD-1, also known as CD279) is an immunoinhibitory receptor that belongs to the CD28/CTLA-4 subfamily of the Ig superfamily. It is a 288 amino acid (aa) type I transmembrane protein composed of one Ig superfamily domain, a stalk, a transmembrane domain, and an intracellular domain containing an immunoreceptor tyrosine-based inhibitory motif (ITIM) as well as an immunoreceptor tyrosine-based switch motif (ITSM) (PMID: 18173375). PD-1 is expressed during thymic development and is induced in a variety of hematopoietic cells in the periphery by antigen receptor signaling and cytokines (PMID: 20636820). Engagement of PD-1 by its ligands PD-L1 or PD-L2 transduces a signal that inhibits T-cell proliferation, cytokine production, and cytolytic function (PMID: 19426218). It is critical for the regulation of T cell function during immunity and tolerance. Blockade of PD-1 can overcome immune resistance and also has been shown to have antitumor activity (PMID: 22658127; 23169436).		
Storage	Storage: Store at 2-8°C. Avoid exposu Storage Buffer: PBS with 0.09% sodium azic	ıre to light. Stable for one year after shipme le.	nt.

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free<br/>in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



1X10<sup>^</sup>6 unstimulated or Anti-CD3 and Anti-CD28 stimulated mouse splenocytes were surface stained with 0.5 ug Atlantic Blue<sup>™</sup> Anti-Mouse PD-1/CD279 (AB-65142, Clone: RMP1-30). Cells were not fixed.