For Research Use Only

Atlantic Blue™ Anti-Rat CD8a (OX-8)

Catalog Number: AB-65180



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method:

AB-65180 Size:

BC088126 GeneID (NCBI): Purified by protein-A affinity chromatography

100ug , 0.5 mg/ml

24930

CloneNo.:

Source: Mouse

UNIPROT ID: P07725 Full Name:

Excitation/Emission maxima

Isotype: lgG1, kappa

CD8a molecule

wavelengths: 404 nm / 458 nm

Applications

Tested Applications:

Species Specificity:

Background Information

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8a or as a heterodimer of CD8a and CD8 β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The $majority\ of\ class\ I-restricted\ T\ cells\ express\ mostly\ the\ CD8\alpha\beta\ heterodimer\ while\ CD8\alpha\alpha\ homodimers\ alone\ have$ been found on some gut intraepithelial T cells , on some T cell receptor (TCR) $\gamma\delta$ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+ T cells (PMID: 1968084).


Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide.

Selected Validation Data



1X10^6 Wistar rat splenocytes were surface stained with 0.5 ug Atlantic BlueTM Anti-Rat CD8a (AB-65180, Clone: OX-8) or 0.5 ug Control Antibody. Cells were not fixed.