For Research Use Only

Atlantic Blue™ Anti-Human CD21 (BU32)



Purification Method:

CloneNo.:

wavelengths:

404 nm / 458 nm

BU32

Protein G purification

Excitation/Emission maxima

Catalog Number: AB-65198

Basic Information

Catalog Number:

AB-65198

Size:

100 tests , 5 μ l/test

Source: Mouse

Isotype: lgG1, kappa GenBank Accession Number:

BC136394 GeneID (NCBI):

1380

ENSEMBL Gene ID:

ENSG00000117322 **UNIPROT ID:**

P20023

Full Name: complement component (3d/Epstein

Barr virus) receptor 2 Calculated MW:

1092 aa, 119 kDa

Applications

Tested Applications:

Species Specificity:

Human

Background Information

CD21, also known as complement receptor type 2 (CR2), complement C3d receptor, and Epstein-Barr virus receptor, is a transmembrane protein that contains a small cytoplasmic domain, a transmembrane region and an extracellular domain consisting of 15 tandem short consensus repeat sequences (PMID: 6230668; 2551147). It is expressed on B cells, follicular dendritic cells, thymocytes and a subset of peripheral T cells (PMID: 26119182). CD21 binds complement fragments C3d, C3dg and iC3b and acts as a receptor for the Epstein-Barr virus (PMID: 7753047). On B cells, together with CD19 and CD81, CD21 forms a complex that functions as a co-receptor to the BCR (PMID: 7542009). It is involved in B cells activation and functions.


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human PBMCs were surface co-stained with FITC Anti-Human CD19 and 5 ul Atlantic Blue™ Anti-Human CD21 (AB-65198, Clone:BU32) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul Atlantic Blue™ Anti-Human CD21 (AB-65198, Clone:BU32) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.