

For Research Use Only

# APC Anti-Mouse NK1.1 (CD161) (PK136)



Catalog Number: APC-65138

## Basic Information

<b>Catalog Number:</b> APC-65138	<b>GenBank Accession Number:</b> BC120707	<b>Purification Method:</b> Affinity purification
<b>Size:</b> 100ug, 0.2 mg/ml	<b>GeneID (NCBI):</b> 17057	<b>CloneNo.:</b> PK136
<b>Source:</b> Mouse	<b>Full Name:</b> killer cell lectin-like receptor subfamily B member 1A	<b>Excitation/Emission maxima wavelengths:</b> 650 nm / 660 nm
<b>Isotype:</b> IgG2a		

## Applications

**Tested Applications:**  
FC

**Species Specificity:**  
Mouse

## Background Information

NK1.1 (CD161), also known as KLRB1 or NKR-P1A, is a type II transmembrane C-type lectin-like receptor and is expressed on the cell membrane as disulfide-linked homodimer (PMID: 8077657). It is expressed by the majority of NK cells and subsets of peripheral T cells, including both CD4+ and CD8+ T cells, and is expressed preferentially on adult T cells with a "memory" antigenic phenotype (PMID: 8077657; 22566826). Expression of CD161 correlates with the cytotoxic function of CD16+ NK cells, and ligation of CD161 with its ligand LLT1 inhibits NK cell cytotoxicity and cytokine secretion (PMID: 29686665).

## Storage


**Storage:**  
Store at 2-8°C. Avoid exposure to light.

**Storage Buffer:**  
Phosphate based buffer with 0.09% sodium azide and 0.1% gelatin, pH 7.2.


For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)      E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



1X10<sup>6</sup> C57BL/6 mouse splenocytes were surface stained with FITC Anti-Mouse CD3 (FITC-65077, Clone: 17A2) and 0.13 ug APC Anti-Mouse NK1.1 (CD161) (APC-65138, Clone: PK136). Cells were not fixed.



1X10<sup>6</sup> C57BL/6 mouse splenocytes were surface stained with FITC Anti-Mouse CD3 (FITC-65077, Clone: 17A2) and 0.13 ug APC-Mouse IgG2a isotype control antibody. Cells were not fixed.