For Research Use Only

FcZero-rAb™ APC Anti-Human Ecadherin Rabbit Recombinant Antibody

Catalog Number: APC-FcA98123



Basic Information

Catalog Number:

APC-FcA98123

Size:

100 tests , 200 μ g/ml

Source: Rabbit

Isotype:

IgG

Immunogen Catalog Number:

EG1112

GenBank Accession Number:

NM_004360.5 GeneID (NCBI):

999

Full Name:

cadherin 1, type 1, E-cadherin

(epithelial)

Calculated MW:

97 kDa

Purification Method:

Protein A purification

CloneNo.: 241098F7

Recommended Dilutions:

FC: 5 ul per 10^6 cells in a 100 µl

suspension

Excitation/Emission maxima

wavelengths: 650 nm / 660 nm

Applications

Tested Applications:

. -

Species Specificity:

human

Positive Controls:

FC: HT-29 cells,

Background Information

Cadherins are a family of transmembrane glycoproteins that mediate calcium-dependent cell-cell adhesion and play an important role in the maintenance of normal tissue architecture. E-cadherin (epithelial cadherin), also known as CD324, CDH1 (cadherin 1) or CAM 120/80, is a classical member of the cadherin superfamily which also include N-, P-, R-, and B-cadherins. E-cadherin is expressed on the cell surface in most epithelial tissues. The extracellular region of E-cadherin establishes calcium-dependent homophilic trans binding, providing specific interaction with adjacent cells, while the cytoplasmic domain is connected to the actin cytoskeleton through the interaction with p120-, α -, β -, and γ -catenin (plakoglobin). E-cadherin is important in the maintenance of the epithelial integrity, and is involved in mechanisms regulating proliferation, differentiation, and survival of epithelial cell. E-cadherin may also play a role in tumorigenesis. It is considered to be an invasion suppressor protein and its loss is an indicator of high tumor aggressiveness.

Storage


Storage


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data





1x10^6 HT-29 cells (left) or Jurkat cells (right) were surface stained with 5 ul APC Anti-Human CD324 (E-cadherin) Rabbit RecAb (APC-FcA98123, Clone: 241098F7) (red) or APC Rabbit IgG Isotype Control RecAb (APC-FcA98136, Clone: 240953C9) (blue). Cells were not fixed.