For Research Use Only

APC-Cyanine7 Anti-Human CD8a (Hit8a) proteintech

Catalog Number: AY7-65113



Basic Information

Catalog Number:

AY7-65113

Size:

100tests, 5 ul/test

Source: Mouse

Isotype: IgG1, kappa

Species Specificity:

Tested Applications:

human

GenBank Accession Number:

BC025715 GeneID (NCBI):

ENSEMBL Gene ID:

ENSG00000153563 UNIPROT ID: P01732

Full Name: CD8a molecule Calculated MW: 235 aa, 26 kDa

Purification Method:

Unknow CloneNo.:

Hit8a

Excitation/Emission maxima

wavelengths: 650 nm / 778 nm

Background Information

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8a or as a heterodimer of CD8a and CD8β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8αβ heterodimer while CD8αα homodimers alone have been found on some gut intraepithelial T cells , on some T cell receptor (TCR) $\gamma\delta$ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).

Storage


Applications

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1x10^6 human PBMCs were surface stained with 5 ul APC-Cyanine7 Anti-Human CD8a (Hit8a) (AY7-65113, Clone: Hit8a) or unstained. Cells were costained with CoraLite® Plus 488 Anti-Human CD3 (UCHT1) (CL488-65151, Clone: UCHT1). Cells were not fixed. Lymphocytes were gated.