FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human GAMT protein



MSAPSATPIFAPGENCSPAWGAAPAAYDAADTHLRI LGKPVMERWETPYMHALAAAASSKGGRVLEVGFGM AIAASKVQEAPIDEHWIIECNDGVFQRLRDWAPRQT HKVIPLKGLWEDVAPTLPDGHFDGILYDTYPLSEETWH THQFNFIKNHAFRLLKPGGVLTYCNLTSWGELMKSKY SDITIMFEETQVPALLEAGFRRENIRTEVMALVPPADC RYYAFPQMITPLVTKG (1-236 aa encoded by BC016760) re: 26EX-4T, with N-terminal GST. ity: : : he lab for more information 255 µg/µl in 200 µl sterile water for short-term ion with sterile water, if glycerol has no effect xperiments, it is recommended to add an 'glycerol for long-term storage (see Stability more details).
AIAASKVQEAPIDEHWIIECNDGVFQRLRDWAPRQT HKVIPLKGLWEDVAPTLPDGHFDGILYDTYPLSETWH THQFNFIKNHAFRLLKPGGVLTYCNLTSWGELMKSKY SDITIMFEETQVPALLEAGFRRENIRTEVMALVPPADC RYYAFPQMITPLVTKG (1-236 aa encoded by BC016760) ce: PGEX-4T, with N-terminal GST. ity: the lab for more information D.25 µg/µl in 200 µl sterile water for short-term ion with sterile water, if glycerol has no effect xperiments, it is recommended to add an iglycerol for long-term storage (see Stability more details).
HKVIPLKGLWEDVAPTLPDGHFDGILYDTYPLSETWH THQFNFIKNHAFRLLKPGGVLTYCNLTSWGELMKSKY SDITIMFEETQVPALLEAGFRRENIRTEVMALVPPADC RYYAFPQMITPLVTKG (1-236 aa encoded by BC016760) ce: PGEX-4T, with N-terminal GST. tty: the lab for more information D.25 µg/µl in 200 µl sterile water for short-term ion with sterile water, if glycerol has no effect xperiments, it is recommended to add an iglycerol for long-term storage (see Stability more details).
ilized SDITIMFEETQVPALLEAGFRRENIRTEVMALVPPADC RYYAFPQMITPLVTKG (1-236 aa encoded by BC016760) ce: CEX-4T, with N-terminal GST. return Shipping: C25 µg/µl in 200 µl sterile water for short-term Shipping: ion with sterile water, if glycerol has no effect The product is shipped at ambient temperature. upon receipt, store it immediately at the recommended to add an glycerol for long-term storage (see Stability recommended temperature (see below).
Shipping: 2.25 µg/µl in 200 µl sterile water for short-term ion with sterile water, if glycerol has no effect xperiments, it is recommended to add an iglycerol for long-term storage (see Stability nore details).
(1-236 aa encoded by BC016760) re: PGEX-4T, with N-terminal GST. ity: the lab for more information D.25 µg/µl in 200 µl sterile water for short-term ion with sterile water, if glycerol has no effect xperiments, it is recommended to add an glycerol for long-term storage (see Stability more details). (1-236 aa encoded by BC016760) Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below).
CGEX-4T, with N-terminal GST. (ty: the lab for more information 0.25 µg/µl in 200 µl sterile water for short-term ion with sterile water, if glycerol has no effect xperiments, it is recommended to add an iglycerol for long-term storage (see Stability more details).
2GEX-4T, with N-terminal GST. ity: the lab for more information 0.25 μg/μl in 200 μl sterile water for short-term ion with sterile water, if glycerol has no effect xperiments, it is recommended to add an iglycerol for long-term storage (see Stability more details).
Shipping: 2.25 μg/μl in 200 μl sterile water for short-term ion with sterile water, if glycerol has no effect xperiments, it is recommended to add an iglycerol for long-term storage (see Stability nore details).
he lab for more information 2.25 μg/μl in 200 μl sterile water for short-term ion with sterile water, if glycerol has no effect xperiments, it is recommended to add an iglycerol for long-term storage (see Stability nore details).
2.25 µg/µl in 200 µl sterile water for short-term ion with sterile water, if glycerol has no effect xperiments, it is recommended to add an glycerol for long-term storage (see Stability nore details).
xperiments, it is recommended to add an glycerol for long-term storage (see Stability nore details).
centration is needed for your purposes please stitution volume as required (please note: the notice first solution as the second is to be a second in the second s
n of the final solution will vary according to i). vial before opening. When reconstituting, wash down the sides of the vial to ensure full rotein into solution.
GE with Coomassie Brilliant Blue staining.
tein was Lyophilized from sterile PBS (58mM Na2HPO4, 17mM NaH2PO4, 68mM NaCl, pH8.). 5 % % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM GSH.
2 months at -20°C to -80°C as lyophilized powder.
ge: r (1-2 weeks). ge: e at -20°C to -80°C for up to 3 months, ith sterile water and addition of an equal

28 kDa-

20 kDa

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522)E : proteintech@ptglab.com W:(toll free in USA), or 1(312) 455-8498ptglab.com(outside USA)(total free in USA)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.