FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human SMCHD1 protein



Ag22363 Size: 50 μg Form: Available lyophilized Species: human Expression Source: e coli-derived, PET28a, with N-terminal 6*His. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 μg/μl in 200 μl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect on subsequent experiments it is recommended to add an	LLTFPDNVEHCETVFGMLLGDTIILDNLDAANHYRKEV VKITHCPTLLTRDGDRIRSNGKFGGLQNKAPPMDKLRG MVFGAPVPKQCLILGEQIDLLQQYRSAVCKLDSVNKD LNSQLEYLRTPDMRKKKQELDEHEKNLKLIEEKLGMTPI RKCNDSLRHSPKVETTDCPVPPKRMRREATRQNRIITK TDV (1813-2005 aa encoded by BC035774) Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the
50 μg Form: Available lyophilized Species: human Expression Source: <i>e coli</i> -derived, PET28a, with N-terminal 6*His. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 μg/μl in 200 μl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect	MVFGAPVPKQCLILGEQIDLLQQYRSAVCKLDSVNKD LNSQLEYLRTPDMRKKKQELDEHEKNLKLIEEKLGMTPI RKCNDSLRHSPKVETTDCPVPPKRMRREATRQNRIITK TDV (1813-2005 aa encoded by BC035774) Shipping: The product is shipped at ambient temperature.
Form: Available lyophilized Species: human Expression Source: <i>e coli</i> -derived, PET28a, with N-terminal 6*His. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 µg/µl in 200 µl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect	LNSQLEYLRTPDMRKKKQELDEHEKNLKLIEEKLGMTPI RKCNDSLRHSPKVETTDCPVPPKRMRREATRQNRIITK TDV (1813-2005 aa encoded by BC035774) Shipping: The product is shipped at ambient temperature.
Available lyophilized Species: human Expression Source: <i>e coli</i> derived, PET28a, with N-terminal 6*His. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 µg/µl in 200 µl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect	RKCNDSLRHSPKVETTDCPVPPKRMRREATRQNRIITK TDV (1813-2005 aa encoded by BC035774) Shipping: The product is shipped at ambient temperature.
Species: human Expression Source: e coli-derived, PET28a, with N-terminal 6*His. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 µg/µl in 200 µl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect	(1813-2005 aa encoded by BC035774) Shipping: The product is shipped at ambient temperature.
human Expression Source: e coli-derived, PET28a, with N-terminal 6*His. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 µg/µl in 200 µl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect	Shipping: The product is shipped at ambient temperature.
Expression Source: e coli-derived, PET28a, with N-terminal 6*His. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 µg/µl in 200 µl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect	The product is shipped at ambient temperature.
e coliderived, PET28a, with N-terminal 6*His. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 µg/µl in 200 µl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect	The product is shipped at ambient temperature.
Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 µg/µl in 200 µl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect	The product is shipped at ambient temperature.
Please contact the lab for more information Reconstitution: Reconstitute at 0.25 µg/µl in 200 µl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect	The product is shipped at ambient temperature.
Reconstitution: Reconstitute at 0.25 μg/μl in 200 μl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect	The product is shipped at ambient temperature.
Reconstitute at 0.25 µg/µl in 200 µl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect	The product is shipped at ambient temperature.
After reconstitution with sterile water, if glycerol has no effect	opon receipt, store it immediately at the
equal volume of glycerol for long-term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting,	recommended temperature (see below).
85%, by SDS-PAGE with Coomassie Brilliant Blue staining.	
The purified protein was Lyophilized from sterile PBS (58mM Na2H	IPO4,17mM NaH2PO4, 68mM NaCl, pH7.4). 5 %
trehalose and 5 % mannitol are added as protectant before lyophil imidazole.	lization. The elution buffer contain 300mM
Store for up to 12 months at -20°C to -80°C as lyophilized powder.	
Short Term Storage: Store at 2-8°C for (1-2 weeks).	
Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.	
_	
	 on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution. 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. The purified protein was Lyophilized from sterile PBS (58mM Na2F trehalose and 5 % mannitol are added as protectant before lyophilimidazole. Store for up to 12 months at -20°C to -80°C as lyophilized powder. Short Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal



For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522)E : proteintech@ptglab.com W:(toll free in USA), or 1(312) 455-8498ptglab.com(outside USA)(total free in USA)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.