FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human MMP9 protein



| Basic Information | Ag22880 | GIRHLYGPRPEPEPRPPTTTTPQPTAPPTVCPTGPPTV |
|--------------------------|--|--|
| | | UNILIGENELEENEETTITEQETAFETTCETUFETT |
| | Form: | HPSERPTAGPTGPPSAGPTGPPTAGPSTATTVPLSPV |
| | Available lyophilized | |
| | Species: | PQGPFLIADKWPALPRKLDSVFEEPLSKKLFFFSGRQV WVYTGASVLGPRRLDKLGLGADVAQVTGALRSGRGK |
| | human | MLLFSGRRLWRFDVKAQMVDPRSASEVDRMFPGVPI |
| | Expression Source: | DTHDVFQYREKAYFCQDRFYWRVSSRSELNQVDQV |
| | <i>e coli.</i> -derived, PET30a, with N-terminal 6*His. | GYVTYDILQCPED |
| | Biological Activity: Not tested | (438-707 aa encoded by BC006093) |
| | Endotoxin Level: Please contact the lab for more information | |
| | | |
| Reconstitution | Reconstitution: | Shipping: |
| and Storage | Reconstitute at 0.25 µg/µl in 200 µl sterile water for short-term storage. | The product is shipped at ambient temperature. |
| | After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an | Upon receipt, store it immediately at the recommended temperature (see below). |
| | equal volume of glycerol for long-term storage (see Stability | |
| | and Storage for more details). If a different concentration is needed for your purposes please | |
| | adjust the reconstitution volume as required (please note: the | |
| | ion concentration of the final solution will vary according to | |
| | the volume used). Note: Centrifuge vial before opening. When reconstituting, | |
| | gently pipet and wash down the sides of the vial to ensure full | |
| | recovery of the protein into solution. | |
| Purity | 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. | |
| Formulation | The purified protein was Lyophilized from sterile PBS (58mM Na2HPO4,17mM NaH2PO4, 68mM NaCl, pH7.4). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 300mM imidazole. | |
| | | |
| Stability and Storage | Store for up to 12 months at -20°C to -80°C as lyophilized powder. | |
| Storage of | Short Term Storage: | |
| Reconstituted Protein | Store at 2-8°C for (1-2 weeks). | |
| Reconstituted Frotein | Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, | |
| | reconstitution with sterile water and addition of an equal | |
| | volume of glycerol. Avoid repeat freeze-thaw cycles. | |
| Selected Validation Data | | |
| | 74 kDa→ 66 kDa→ | |
| | 66 kDa→ | |
| | 43 kDa→ ←43 kDa | |
| | | |
| | 28 kDa→ | |
| | | |
| | 20 kDa→ | |

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522)E : proteintech@ptglab.com W:(toll free in USA), or 1(312) 455-8498ptglab.com(outside USA)(outside USA)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.