FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human GAB1 protein



alog Number: 24395 m: ailable lyophilized ecies: nan oression Source: ooli-derived, PET28a, with N-terminal 6*His. logical Activity: : tested dotoxin Level: ase contact the lab for more information constitution: constitute at 0.25 μg/μl in 200 μl sterile water for short-term rage. er reconstitution with sterile water, if glycerol has no effect subsequent experiments, it is recommended to add an ial volume of glycerol for long-term storage (see Stability different concentration is needed for your purposes please	Peptide Sequence: TEEDPVKPPGSSLQAPADLPLAINTAPPSTQADSSSA TLPPPYQLINVPPHLETLGIQEDPQDYLLLINCQSKKPE PTRTHADSAKSTSSETDCNDNVPSHKNPASSQSKHG MNGFFQQQMIYDSPPSRAPSASVDSSLYNLPRSYSH DVLPKVSPSSTEADGELVVFNTPSGTSSVETQMRHVS ISYDIPPTPGNTYQIPRTFPEGTLGQTSKLDTIPDIPPR PPKPHPAHDRSPVETCSIPRTASDTDSSYCIPTAGMSP SRSNTISTVDLNKLRKDA (120-400 aa encoded by BC064848) Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below).
ecies: man pression Source: ooliderived, PET28a, with N-terminal 6*His. logical Activity: : tested dotoxin Level: ase contact the lab for more information constitution: constitute at 0.25 μg/μl in 200 μl sterile water for short-term rage. er reconstitution with sterile water, if glycerol has no effect subsequent experiments, it is recommended to add an ual volume of glycerol for long-term storage (see Stability d Storage for more details).	MNGFFQQQMIYDSPPSRAPSASVDSSLYNLPRSYSH DVLPKVSPSSTEADGELYVFNTPSGTSSVETQMRHVS ISYDIPPTPGNTYQIPRTFPEGTLGQTSKLDTIPDIPPR PPKPHPAHDRSPVETCSIPRTASDTDSSYCIPTAGMSP SRSNTISTVDLNKLRKDA (120-400 aa encoded by BC064848) Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the
nan pression Source: oliderived, PET28a, with N-terminal 6*His. logical Activity: : tested dotoxin Level: ase contact the lab for more information constitution: constitute at 0.25 µg/µl in 200 µl sterile water for short-term rage. er reconstitution with sterile water, if glycerol has no effect subsequent experiments, it is recommended to add an ual volume of glycerol for long-term storage (see Stability d Storage for more details).	ISYDIPPTPGNTYQIPRTFPEGTLGQTSKLDTIPDIPPPR PPKPHPAHDRSPVETCSIPRTASDTDSSYCIPTAGMSP SRSNTISTVDLNKLRKDA (120-400 aa encoded by BC064848) Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the
oression Source: oliderived, PET28a, with N-terminal 6*His. logical Activity: : tested dotoxin Level: ase contact the lab for more information constitution: constitute at 0.25 μg/μl in 200 μl sterile water for short-term rage. er reconstitution with sterile water, if glycerol has no effect subsequent experiments, it is recommended to add an ual volume of glycerol for long-term storage (see Stability d Storage for more details).	PPKPHPAHDRSPVETCSIPRTASDTDSSYCIPTAGMSP SRSNTISTVDLNKLRKDA (120-400 aa encoded by BC064848) Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the
logical Activity: : tested dotoxin Level: ase contact the lab for more information constitution: constitute at 0.25 µg/µl in 200 µl sterile water for short-term rage. er reconstitution with sterile water, if glycerol has no effect subsequent experiments, it is recommended to add an ual volume of glycerol for long-term storage (see Stability d Storage for more details).	(120-400 aa encoded by BC064848) Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the
dotoxin Level: ase contact the lab for more information constitution: constitute at 0.25 μg/μl in 200 μl sterile water for short-term rage. er reconstitution with sterile water, if glycerol has no effect subsequent experiments, it is recommended to add an ual volume of glycerol for long-term storage (see Stability d Storage for more details).	The product is shipped at ambient temperature. Upon receipt, store it immediately at the
constitute at 0.25 µg/µl in 200 µl sterile water for short-term rage. er reconstitution with sterile water, if glycerol has no effect subsequent experiments, it is recommended to add an Jal volume of glycerol for long-term storage (see Stability d Storage for more details).	The product is shipped at ambient temperature. Upon receipt, store it immediately at the
constitute at 0.25 µg/µl in 200 µl sterile water for short-term rage. er reconstitution with sterile water, if glycerol has no effect subsequent experiments, it is recommended to add an Jal volume of glycerol for long-term storage (see Stability d Storage for more details).	The product is shipped at ambient temperature. Upon receipt, store it immediately at the
us the reconstitution volume as required (please note: the concentration of the final solution will vary according to volume used). The Centrifuge vial before opening. When reconstituting, ntly pipet and wash down the sides of the vial to ensure full overy of the protein into solution.	
%, by SDS-PAGE with Coomassie Brilliant Blue staining.	
e purified protein was Lyophilized from sterile PBS (58mM Na2 nalose and 5 % mannitol are added as protectant before lyoph dazole.	•
re for up to 12 months at -20°C to -80°C as lyophilized powder	
re at 2-8°C for (1-2 weeks). ig Term Storage: quot and store at -20°C to -80°C for up to 3 months, onstitution with sterile water and addition of an equal	
74 kDa→ 66 kDa→ 43 kDa→ ← 37 kDa	
	43 kDa→

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522)E : proteintech@ptglab.com W:(toll free in USA), or 1(312) 455-8498ptglab.com(outside USA)(1312) 455-8498

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.