FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human S100A8 protein



Ag8500 MLTELEKALNSIDYTHKYSLIKGKHAVYRDDLKKLE Size: Solg Solg TECPQ1R8KGADVWFKEDINTDGAVNFQEFULIVII You and the sold of	Basic Information	Catalog Number:	Peptide Sequence:
Sing MCMANNEGSEESINE Form: Form: Available typphilzed Species: Barrow Barrow Constitution Barrow Barrow Barrow Constitution Barrow Barrow Barrow Barow Barrow </td <td>busic mormation</td> <td>Ag8500</td> <td>MLTELEKALNSIIDVYHKYSLIKGNFHAVYRDDLKKLLE</td>	busic mormation	Ag8500	MLTELEKALNSIIDVYHKYSLIKGNFHAVYRDDLKKLLE
Puring (1-93 as encoded by BC005920) Available typohized Available typohized Barna Expecise Barna Expecision Barna Expecision Barna Expecision Barna Expecision Barna Expecision Barna Expecision Barna Statistice (applice) Barna Expecision Barna Statistice (applice) Barna Barna Statistice) Barna Barna Barna Barna Barna Statistice) Barna solution with a solut		Size:	TECPQYIRKKGADVWFKELDINTDGAVNFQEFLILVI
Partial Speciac Walkel kopkilized Speciac Barros Speciac Constitution Constitution Constitution Constitution Reconstitution Reconstitute at Cost paylel in 200 µl sterile water for shore reformations Reconstitution Reconstitute at Cost paylel in 200 µl sterile water for shore reformations Reconstitution Reconstitute at Cost paylel in 200 µl sterile water for shore reformations Reconstitution with sterile water, if giverol has no effect on subsequent toperiments, it is recommended to add on equipart where the perimetris, it is recommended to add on equipart where reconstitution with sterile water, if giverol has no effect on subsequent toperimetris, it is recommended to add on equipart where reconstitution would be a sterile water in flag social on with you are constitution would was required (plases note: the inconstitution would be as required (plases note: the inconstitution would be as required (plases note: the inconstitution would be as protectarin both the water of the vial to censure full inconstitute on the subsect on the subsect on the subsect on the protein into social on the subsect on		50 µg	
Species Species Mama Section Construction Construction Reconstitution Construction Construction Consecretinston of the final solution sterile PBS (SpinM N		Form:	(1-93 aa encoded by BC005928)
Numa Executed VGEV-41, with Neterninal CST. Biological Addition Executed VGEV-41, with Neterninal CST. Biological Addition Addition of Additi		Available lyophilized	
Pression Source e.cdfdfrived, PGEV-41, with Netminal GST. Displati Astriy: Displati Astriy: Displati Displati Astriy: Displati Displati Displati Astriy: Displati Displat		Species:	
 e. coll-derived, PGEX-4T, with N-terminal GST. Biological Activity: Note tsteding Endoation Livenit Reconstitution Reconstitute at 0.25 µg/µl in 200 µl sterile water for short-terms transge. After reconstitution with sterile water, if glycerol has no effort an equipation with sterile water, if glycerol has no effort and an equipation with sterile water, if glycerol has no effort and and and storage for more details). After reconstitution with sterile water, if glycerol has no effort and and and storage for more details). If a different concentration is needed for your purposes please digits the reconstitution with as required (please note: the ion concentration of the final solution will as required (please note: the ion concentration of the final solution will as required (please note: the ion concentration of the final solution will as required (please note: the ion concentration of the final solution will as required (please note: the ion concentration of the final solution will as required (please note: the ion concentration of the final solution will as required (please note: the ion concentration of the final solution will as required (please note: the ion concentration of the final solution will as required (please note: the ion concentration of the final solution will as required (please note: the ion concentration of the final solution will as required (please note: the ion concentration of the final solution will are added as protectant before lyophilized for sterile PBS (SBm Ma2HPO4.17m MaH2PO4.68m MaC1, pH8).5 % trebalose and 5 % mannitol are added as protectant before lyophilized prowder. Storage of Reconstituted Protein Storage of Reconstitution value as added as protectant before lyophilized prowder. Storage of Max at 25C to 260°C for up to 3 months, reconstitution with sterie water and addition of an equal addition of an equal value of glycex		human	
Biological Activity: Wate see Reconstitution Reconstitution Constitution Reconstitution with sterile water, if glycend has no effor Stere constitution with sterile water, if glycend has no effor Stere constitution with sterile water, if glycend has no effor Stere constitution with sterile water, if glycend has no effor Stere constitution with sterile water, if glycend has no effor Stere constitution with sterile water, if glycend has no effor Stere constitution with sterile water, if glycend has no effor Stere constitution with sterile water, if glycend has no effor Stere constitution with sterile water, if glycend has no effor Stere constitution with sterile water, if glycend has no effor Stere constitution with sterile water, if glycend has no effor Numce certificacion Wate: Certificacion Stere constitution with sterile water has blycend to non-glycend has no effor Note: Certificacion Stere constitution with sterile water and being to ply and water down the sides of the value ensure flat Formulation Stability and Storage Storage of Reconstituted Protein Storage of Reconstituted Protein Storage of Reconstituted Protein Storage of Reconstituted value star. 20°C to -80°C as lyophilized powder. Storage of Reconstituted Protein Storage of Reconstituted Protein Storage of Reconstituted value star.		Expression Source:	
Not tested Endosition Level: Reconstitution Reconstitute at 0.25 µg/µl in 200 µl sterile water for short-terms in and Storage Shore After reconstitution with sterile water, if glycerol has no definition and storage (or more details). The reconstitution with sterile water, if glycerol has no definition and storage (or more details). The reconstitution with sterile water, if glycerol has no definition and storage (or more details). The reconstitution with sterile water, if glycerol has no definition and storage (or more details). The reconstitution with sterile water, if glycerol has no definition and storage (or more details). The reconstitution with sterile water, if glycerol has no definition and storage (or more details). The reconstitution with sterile water, if glycerol has no definition and storage (or more details). The provide definition with sterile water sterile water, if glycerol has no definition with sterile water and storage (or more details). The provide definition with sterile water sterile water, if glycerol has no definition with sterile water and storage (or more details). Purity Reconstitution with sterile water sterile water (or sterile PBS (SBm Ma2HPO4, 17m MaH2PO4, 6Bm MaCL, pH8), 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100m MCGH. Storage of Reconstituted Protein Store for up to 12 months at -20°C to -80°C as lyophilized powder. Storage of Reconstituted Protein Mag terms storage store stora detail storage storage store storage storage s		e coliderived, PGEX-4T, with N-terminal GST.	
Protocol Processor			
Reconstitution Neconstitute 20 St gtpl in 200 pl strile water for shorters. Shippe Reconstitution Reconstitute at 0.25 gtpl in 200 pl strile water for shorters. The reconstitute at 0.25 gtpl in 200 pl strile water for shorters. The reconstitute at 0.25 gtpl in 200 pl strile water for shorters. The reconstitution with strile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equile volume of glycerol for inore tealing. The receipt, store it immediately at the commended to add an equile volume of glycerol for inore tealing. The outper store it immediately at the commended to add an equile volume of glycerol for inore tealing. The outper store it immediately at the commended to add an equile volume of glycerol for inore tealing. The outper store it immediately at the commended to add an equile volume of glycerol for inore tealing. The outper store it immediately at the commended to add an equile volume of glycerol for inore tealing. The outper store it immediately at the commended to add an equile volume of glycerol for inore tealing. The outper store it immediately at the commended to add an equile volume of glycerol for inore tealing. The outper store it immediately at the commended to add an equile volume of glycerol for inore tealing. Purity Style by 5D5-PAGE with Coomassie Brilliant Blue staining. The purified protein into solution with sterile dended as protectant before lypohilization. The elution buffer contain 100mM CSH. Storage of Reconstituted Protein Store for up to 12 months at -20°C to -80°C as lyophilized powder. Store for up to 12 months for equile and addition of a		Not tested	
Reconstitution And Storage Purity Pormulation Storage of Reconstituted Protein Reconstituted Protein Reconstituted Protein Purity Storage of Reconstituted Protein Reconstituted Protein Reconstituted Protein Reconstituted Protein Reconstituted Protein Reconstituted Protein Reconstituted Protein Reconstituted Protein Reconstituted Protein Reconstituted Protein Reconstituted Protein Reconstituted Protein Reconstituted Protein Reconstituted Protein <t< td=""><td></td><td></td><td></td></t<>			
and Storage Reconstitute at 0.25 µg/ul in 200 µl sterile water for short-term The product is shiped at ambient temperature. After reconstitution with sterile water, if glycerol has no effect number of glycerol for long-term storage (see Stability and Storage for more details). The different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will way a scording to the volume used). The work of the volume used is the volume used is of the vial to ensure full recovery of the protein into solution. Purity 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. Formulation The purified protein was Lyophilized from sterile PBS (SBm Ma2HPO4, 17m MaH2PO4, 6Bm MaCl, pH8). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM CSH. Stability and Storage Storage of Reconstituted Protein Storage of Reconstituted Protein Storage: Storage: Storage of All storage: Storage: Storage of Reconstituted Protein Stolage of Reconstituted Protein All quot and storage: Storage: Storage of Reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Selected Validation Data Storage of Reconstituted Protein		Please contact the lab for more information	
and Storage Reconstitute at 0.25 µg/ul in 200 µl sterile water for short-term The product is shiped at ambient temperature. After reconstitution with sterile water, if glycerol has no effect number of glycerol for long-term storage (see Stability and Storage for more details). The different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will way a scording to the volume used). The work of the volume used is the volume used is of the vial to ensure full recovery of the protein into solution. Purity 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. Formulation The purified protein was Lyophilized from sterile PBS (SBm Ma2HPO4, 17m MaH2PO4, 6Bm MaCl, pH8). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM CSH. Stability and Storage Storage of Reconstituted Protein Storage of Reconstituted Protein Storage: Storage: Storage of All storage: Storage: Storage of Reconstituted Protein Stolage of Reconstituted Protein All quot and storage: Storage: Storage of Reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Selected Validation Data Storage of Reconstituted Protein		Reconstitution:	Shipping
and Storage storage. After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details). If a different concentration volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, genty piper and wash down the sides of the vial to ensure full recovery of the protein into solution. Upon receipt, store it immediately at the recommended temperature (see below). Purity 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. Formulation The purified protein was Lyophilized from sterile PBS (SBM Na2HPO4,17mM NaH2PO4, 68mM NaCl, pH8), 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM GSH. Stability and Storage Store for up to 12 months at -20°C to -80°C as lyophilized powder. Storage of Reconstituted Protein Stor Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage: Aligo at store at -20°C to -80°C as lyophilized powder. Store for up to 12 months at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Store Term Storage: Store Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage: Store at 2-8°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.			
After reconstitution with sterile water, if glycerol has no effect on subsequent experimended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, genity pipet and wash down the sides of the vial to ensure full recovery of the protein into solution. recommended temperature (see below). Purity 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. Formulation The purified protein was Lyophilized from sterile PBS (SBmM Na2HPO4, 17mM NaH2PO4, 68mM NaCL, pH8). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM CSH. Stability and Storage Store for up to 12 months at -20°C to -80°C as lyophilized powder. Storage of Reconstituted Protein Short Term Storage: Storage of Reconstituted Protein Store dor up to 12 months at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Selected Validation Data Validation Data	and Storage	storage.	
equal volume of glycerol for long-term storage (see Stability and Storage for more details). If a different concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, genty pipet and wash down the sides of the vial to ensure full recovery of the protein into solution. Purity 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. Formulation The purified protein was Lyophilized from sterile PBS (SBmM Na2HPO4, 17mM NaH2PO4, 68mM NaCL, pH8), 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM GSH. Stability and Storage Store for up to 12 months at -20°C to -80°C as lyophilized powder. Storage of Reconstituted Protein Store for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Selected Validation Data Every for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.		•••	
If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, gendy pipt and wash down the sides of the vial to ensure full recovery of the protein into solution. Purity 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. Formulation The purified protein was Lyophilized from sterile PBS (S8mM Na2HPO4, 17mM NaH2PO4, 68mM NaCL, pH8). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM CSH. Stability and Storage Store for up to 12 months at -20°C to -80°C as lyophilized powder. Storage of Reconstituted Protein Store at 2-8°C for (1-2 weeks). Languet and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Selected Validation Data Image: Store of a supplice of a supplice of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.			
adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution. Purity 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. Formulation The purified protein was lyophilized from sterile PBS (58mM Na2HPO4,17mM NaH2PO4, 68mM NaCL, pH8). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM CSH. Stability and Storage Store for up to 12 months at -20°C to -80°C as lyophilized powder. Storage of Reconstituted Protein Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at 2-20°C to -80°C for up to 3 months, reconstitution will store at 2-20°C to -80°C for up to 3 months, reconstitution of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Stelected Validation Data Store freeze-thaw cycles.		and Storage for more details).	
ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution. Purity 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. Formulation The purified protein was Lyophilized from sterile PBS (58mM Na2HPO4, 17mM NaH2PO4, 68mM NaCL, pH8), 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM GSH. Stability and Storage Store for up to 12 months at -20°C to -80°C as lyophilized powder. Storage of Reconstituted Protein Short Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Selected Validation Data Store for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.			
the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution. Purity 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. Formulation The purified protein was Lyophilized from sterile PBS (58mM Na2HPO4, 17mM NaH2PO4, 68mM NaCL, pH8). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM CSH. Stability and Storage Store for up to 12 months at -20°C to -80°C as lyophilized powder. Storage of Reconstituted Protein Store at 2-8°C for (1-2 weeks). Long Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Selected Validation Data Image: Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.			
genty pipet and wash down the sides of the vial to ensure full recovery of the protein into solution. Purity 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. Formulation The purified protein was Lyophilized from sterile PBS (S8m Na 2HPO4, 17m M NaH2PO4, 68m M NaCL, pH8). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100m M GSH. Stability and Storage Store for up to 12 months at -20°C to -80°C as lyophilized powder. Storage of Reconstituted Protein Short Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Selected Validation Data Store Storage of Reconstituted Protein			
recovery of the protein into solution. Purity 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. Formulation The purified protein was Lyophilized from sterile PBS (S8mM Na2HPO4, 17mM NaH2PO4, 68mM NaCL, pH8). 5 % trehalose and 5 % mannitol are added as protectant before Lyophilization. The elution buffer contain 100mM GSH. Stability and Storage Store for up to 12 months at -20°C to -80°C as Lyophilized powder. Storage of Reconstituted Protein Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Selected Validation Data		Note: Centrifuge vial before opening. When reconstituting,	
Purity 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. Formulation The purified protein was Lyophilized from sterile PBS (SBmM Na2HPO4, 17mM NaH2PO4, 68mM NaCL, pH8), 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM GSH. Stability and Storage Store for up to 12 months at -20°C to -80°C as lyophilized powder. Storage of Reconstituted Protein Store at 2-8°C for (1-2 meks). Long Tem Storage: Store at 2-8°C for (1-2 meks). Long Tem Storage: National store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Stelected Validation Data Formulation Data			
Formulation Stability and Storage Storage of Reconstituted Protein Storage of Reconstitution with storage		recovery of the protein into solution.	
Stability and Storage Store for up to 12 months at -20°C to -80°C as lyophilized powder. Storage of Reconstituted Protein Short Term Storage: Store at 2-8°C for (1-2 weeks). Long Termes: Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Selected Validation Data Image: Store at 2-8°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.	Purity	85%, by SDS-PAGE with Coomassie Brilliant Blue staining.	
Storage of Reconstituted Protein Short Term Storage: Store at 2-8°C for (1-2 weeks). Store at 2-8°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Selected Validation Data Tree Store at 2-8°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.	Formulation		
Storage of Reconstituted Protein Short Term Storage: Store at 2-8°C for (1-2 weeks). Store at 2-8°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. Selected Validation Data Tree Store at 2-8°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.			
Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.	Stability and Storage	Store for up to 12 months at -20°C to -80°C as lyophilized powder.	
Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.	Storage of	Short Term Storage:	
Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.	Deconstituted Protein	Store at 2-8°C for (1-2 weeks).	
Selected Validation Data	Reconstituted Protein		
Selected Validation Data			
74 kBa→			
74 kBa→			
	Selected Validation Data	71 LDS	
		$^{\prime 4}_{66}$ KDa \rightarrow	

34 kDa

28 kD

2014

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522)E : proteintech@ptglab.com W:(toll free in USA), or 1(312) 455-8498ptglab.com(outside USA)(total free in USA)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.