For Research Use Only

Biotin Anti- GGGGS Linker Rabbit Recombinant Antibody

Catalog Number:Biotin-98262



Basic Information

Catalog Number:

Biotin-98262

Size:

100ug , 500 ug/ml

Source: Rabbit Isotype: GenBank Accession Number:

GeneID (NCBI):

Full Name:

Purification Method: Protein A purification

CloneNo.: 242306C8

Applications

Tested Applications:

Species Specificity:

n/a

Background Information


As a crucial element in the design of recombinant fusion proteins, linkers play an increasingly vital role in the construction of stable, bioactive fusion proteins (PMID: 23026637). GGGGS linker (G4S linker) is a flexible linker made of 4 glycine repeats followed by a serine amino acid (PMID:3045807). Due to its flexibility and resistance to $proteases, GGGGS \ and \ its \ repeats \ are \ commonly \ used \ when \ engineering \ a \ protein, \ particularly \ in \ the \ construction \ of \ and \ its \ repeats \ are \ commonly \ used \ when \ engineering \ a \ protein, \ particularly \ in \ the \ construction \ of \ and \ its \ repeats \ are \ commonly \ used \ when \ engineering \ a \ protein, \ particularly \ in \ the \ construction \ of \ and \ its \ repeats \ are \ commonly \ used \ when \ engineering \ a \ protein, \ particularly \ in \ the \ construction \ of \ and \ its \ repeats \ are \ commonly \ used \ when \ engineering \ a \ protein, \ particularly \ in \ the \ construction \ of \ and \$ single-chain Fv (ScFv) domains expressed on the surfaces of CAR-T cells (PMID:23581628; 36874404).

Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide, pH7.3

Selected Validation Data



1x10^6 HEK-293T cells or anti-CD19 (FMC63) CAR with CD28 or CD8 hinge region and transmembrane region transfected HEK-293T cells were surface stained with 0.25 ug Biotin Plus Anti-GGGC5 Linker Rabbit RecAb (Biotin-98262, Clone: 242306C8) and Coralite® 488-conjugated streptavidin. Cells were not fixed.

1x10^6 HEK-293T cells or anti-CD19 (FMC63) CAR with CD28 or CD8 hinge region and transmembrane region transfected HEK-293T cells were surface stained with 0.25 ug Biotin Plus Anti-GGGGS Linker Rabbit RecAb (Biotin-98262, Clone:242306C8) and CoraLite® 488-conjugated streptavidin (red), or unstained (blue). Cells were not fixed.