

For Research Use Only

FcZero-rAb® Biotin Anti-Human CD83 (HB15e) Rabbit Recombinant Antibody

Catalog Number: Biotin-FcA65581



Basic Information

Catalog Number:

Biotin-FcA65581

Size:

100ug, 500 ug/ml

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

BC030830

GeneID (NCBI):

9308

ENSEMBL Gene ID:

ENSG00000112149

UNIPROT ID:

Q01151

Full Name:

CD83 molecule

Calculated MW:

205 aa, 23 kDa

Purification Method:

Protein A purification

CloneNo.:

HB15e

Recommended Dilutions:

FC: 0.25 ug per 10⁶ cells in a 100 µl suspension

Excitation/Emission maxima wavelengths:

-

Applications

Tested Applications:

FC, ELISA

Species Specificity:

human, monkey, non-human primates

Positive Controls:

FC : human monocyte-derived mature dendritic cells,

Background Information

CD83 is a member of the immunoglobulin (Ig) superfamily, consisting of an extracellular V-type Ig-like domain, a transmembrane domain, and a cytoplasmic tail. CD83 is one of the most prominent markers for fully matured dendritic cells (DCs) (PMID: 17334966). It is also found on the surface of other activated hematopoietic cells, including lymphocytes, monocytes, macrophages, and neutrophils (PMID: 31231400; 17334966). CD83 regulates the maturation, activation, and homeostasis of numerous immune cells (PMID: 31231400; 32362900). CD83 can also be expressed as a soluble form. Soluble CD83 can bind to DCs and inhibit their maturation (PMID: 17334966; 12403928).

Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide, pH7.3


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10⁶ human monocyte-derived mature dendritic cells were surface stained with 0.25 ug Biotin Anti-Human CD83 (HB15e) Rabbit IgG RecAb (Biotin-FcA65581, Clone: HB15e) (red) or FcZero-rAb™ Biotin Rabbit IgG Isotype Control Recombinant Antibody (Biotin-FcA98136, Clone: 240953C9) (blue), and PE-conjugated streptavidin. Cells were not fixed.