For Research Use Only

CoraLite® Plus 488-conjugated STAT3 Polyclonal antibody



Purification Method:

wavelengths:

488 nm / 515 nm

Antigen affinity purification

Excitation/Emission maxima

Catalog Number: CL488-10253

Featured Product

Basic Information

Catalog Number: GenBank Accession Number: CL488-10253 BC000627

GeneID (NCBI):

100ul, Concentration: 1000 µg/ml by 6774

Source: signal transducer and activator of Rabbit transcription 3 (acute-phase response

Isotype:

Calculated MW: IgG 770 aa, 88 kDa Immunogen Catalog Number: Observed MW: 88 kDa

Applications

Tested Applications:

FC (Intra)

Species Specificity: human, mouse, rat

Background Information

Signal transducer and activator of transcription 3 (acute-phase response factor) (STAT3, synonyms: APRF, FLJ20882, MGC16063) is a member of the STAT protein family. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. STAT3 is activated through phosphorylation in response to various cytokines and growth factors including IFNs, EGF, IL5, IL6, HGF, LIF and BMP2. STAT3 mediates the expression of a variety of genes in response to cell stimuli, and thus plays a key role in many cellular processes such as cell growth and apoptosis. The small GTPase Rac1 has been shown to bind and regulate the activity of STAT3. This antibody is a rabbit polyclonal antibody raised against residues near the N terminus of human STAT3. STAT3 exists three isoforms and the molecular weight of each isoform respectively is 83 kDa, 87 kDa and 88 kDa.

Storage

Storage:

Store at -20°C. Avoid exposure to light.


Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



1X10^6 HeLa cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Human STAT3 (CL488-10253) (red), or 0.4 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).