For Research Use Only

CoraLite® Plus 488-conjugated MMP-9 (N-terminal) Polyclonal antibody



Catalog Number: CL488-10375

Featured Product

Basic Information

Catalog Number: GenBank Accession Number:

CL488-10375 BC006093 GeneID (NCBI):

100ul, Concentration: 1000 ug/ml by 4318

Nanodrop: **UNIPROT ID:** P14780 Rabbit Full Name:

Isotype: matrix metallopeptidase 9 (gelatinase B, 92kDa gelatinase, IgG 92kDa type IV collagenase)

Immunogen Catalog Number: Calculated MW: AG0552

> 707 aa, 78 kDa Observed MW: 67 kDa, 92 kDa

Purification Method:

Antigen affinity purification Recommended Dilutions:

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

IF/ICC 1:50-1:500

Applications

Tested Applications:

IF/ICC

Species Specificity: human, mouse, rat

Positive Controls:

IF/ICC: MCF-7 cells,

Background Information

Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, tissue remodeling, and disease processes, such as arthritis or metastasis. Most MMP's are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. Matrix metalloproteinase 9 (gelatinase B, 92kDa gelatinase, 92kDa type IV collagenase) (MMP9, synonyms: GELB, CLG4B) degrades collagens type IV and V. Studies in rhesus monkeys suggest that MMP9 is involved in IL-8-induced mobilization hematopoietic progenitor cells from bone marrow, and murine studies suggest a role in tumor-associated tissue remodeling. The pro-MMP9 is 92 kDa, and it can be detected a processed form of 68 kDa. This protein can exist as a dimer of 180 kDa (PMID:7492685).


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed MCF-7 cells using CoraLite® Plus 488 MMP9 (N-terminal) antibody (CL488-10375) at dilution of 1:200.