For Research Use Only

CoraLite® Plus 488-conjugated GORASP2 Polyclonal antibody



Purification Method:

IF 1:400-1:1600

Antigen affinity purification

Recommended Dilutions:

Catalog Number: CL488-10598

Featured Product

Basic Information

Catalog Number: GenBank Accession Number: CL488-10598 BC007770

ize: GeneID (NCBI):

100ul, Concentration: 1000 µg/ml by 26003

lanodrop; Full Name:

Source: golgi reassembly stacking protein 2,

Rabbit 55kDa

Isotype: Calculated MW: IgG 55 kDa
Immunogen Catalog Number: Observed MW: AG0950 59 kDa

Applications

Tested Applications:

FC (Intra), IF

Species Specificity: human, mouse, rat

Positive Controls: IF: HepG2 cells,

Background Information

GORASP2 (Golgi reassembly-stacking protein 2, or GRS2) has multiple phosphorylation sites and can be phosphorylated by MKK/ERK pathway during mitoisis. GORASP2 plays a role in the assembly and membrane stacking of the Golgi cisternae, and in the process by which Golgi stacks reform after mitotic breakdown.GORASP2 is supposed to regulate the intracellular transport and presentation of a defined set of transmembrane proteins, such as transmembrane TGFA.

Storage

Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffe

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using Coralite® Plus 488 GORASP2 antibody (CL488-10598) at dilution of 1:800, CL594-Phalloidin (red).



1X10^6 HepG2 cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Human GORASP2 (CL488-10598) (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).