CoraLite® Plus 488-conjugated NONO Polyclonal antibody

Catalog Number:CL488-11058 Featured Product


Antibodies | ELISA kits | Proteins WWW.ptglab.com

Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** CL488-11058 BC010049 Antigen affinity purification GenelD (NCBI): Excitation/Emission maxima Size: 100ul , Concentration: 1000 ug/ml by 4841 wavelengths: 493 nm / 522 nm Nanodrop: UNIPROT ID: Source: Q15233 Rabbit Full Name: Isotype: non-POU domain containing, octamer-binding lgG Immunogen Catalog Number: Calculated MW: AG1512 54 kDa **Observed MW:** 54 kDa **Applications Tested Applications:** FC (Intra) Species Specificity: human, mouse, rat **Background Information** Non-pou domain-containing octamer-binding protein(NONO), other named p54nrb, belongs to DBHS family, whose protein are predominately nuclear and involves in transcriptional and posttranscriptional gene regulatory functions as well as DNA repair. This family has roles in a wide range of biological processes, such as the regulation of circadian rhythm, carcinogenesis and progression of cancer. NONO forms heterodimer with SFPQ, and has been implicated in nuclear retention of A- to I-edited RNA as paraspeckle components, pre-mRAN 3'-end formation, cAMP cycling and transcriptional activation. Storage: **Storage** Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1X10^6 HepG2 cells were intracellularly stained with 0.4 ug Coralite® Plus 488 Anti-Human NONO (CL488-11058) (red), or 0.4 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).