

For Research Use Only

CoraLite® Plus 488-conjugated NONO Polyclonal antibody



Catalog Number: CL488-11058

Featured Product

Basic Information

| | | |
|---|--|---|
| Catalog Number: CL488-11058 | GenBank Accession Number: BC010049 | Purification Method: Antigen affinity purification |
| Size: 100ul , Concentration: 1000 µg/ml by Nanodrop; | GeneID (NCBI): 4841 | Excitation/Emission maxima wavelengths: 488 nm / 515 nm |
| Source: Rabbit | Full Name: non-POU domain containing, octamer-binding | |
| Isotype: IgG | Calculated MW: 54 kDa | |
| Immunogen Catalog Number: AG1512 | Observed MW: 54 kDa | |

Applications

Tested Applications:
FC (Intra)

Species Specificity:
human, mouse, rat

Background Information

Non-pou domain-containing octamer-binding protein(NONO), other named p54nrb, belongs to DBHS family, whose protein are predominately nuclear and involves in transcriptional and posttranscriptional gene regulatory functions as well as DNA repair. This family has roles in a wide range of biological processes, such as the regulation of circadian rhythm, carcinogenesis and progression of cancer. NONO forms heterodimer with SFPQ, and has been implicated in nuclear retention of A- to I-edited RNA as paraspeckle components, pre-mRAN 3'-end formation, cAMP cycling and transcriptional activation.

Storage

Storage:
Store at -20°C. Avoid exposure to light.

Storage Buffer:
PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1X10⁶ HepG2 cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Human NONO (CL488-11058) (red), or 0.4 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).